PFAS/2023/02 Annex 5

In this guide

In this guide

- 1. Introduction and Background PFAS/2023/02
- 2. PFAS/2023/02 Annex 1
- 3. PFAS/2023/02 Annex 2
- 4. PFAS/2023/02 Annex 3
- 5. PFAS/2023/02 Annex 4
- 6. PFAS/2023/02 Annex 5

Endpoints

Currently, endpoints being assessed include thyroid toxicity, hepatotoxicity, developmental toxicity and immunotoxicity.

- a. Should nephrotoxicity, neurotoxicity and reproductive toxicity also be assessed.
- b. Are any other endpoints of interest?

Members may wish to consider the COT discussion paper <u>TOX/2022/67</u> which collated subchronic and chronic health-based guidance values (HBGVs) and the basis of these.

ATSDR investigated the endpoints shown in Figure 8 and Figure 9.

It is useful to note that developmental, hepatic and body weight effects were most studied endpoints for PFOA (Figure 10), and developmental, reproductive, hepatic and body weight effects for PFOS (Figure 11) (ATSDR, 2022). However, the critical effect selected by EFSA (2020) was immunotoxicity, for which there are less data.

Figure 8. Examples of endpoints studied by ATSDR with regards to epidemiological effects.

	Perfluoroeikyl												
Health Effect Endpoint	4	or d	(O) 4	THE &	CHIP &	for 4	Und of	HOT A	(No.)	ent 4	Oeda 4	AND S	SA
Body weight	•	•	•	•	•	•				•		•	
Respiratory	•												
Cardiovascular	•	•	•	•	•	•	•	•	•	•	•	•	
Gastrointestinal		•											
Hematological	•	•											
Musculoskeletal	•	•	•	•									
Hepatic	•	•	•	•	•	•	•	•	•	•			
Renal	•	•	•	•	•			•		•	•		
Dermal													
Ocular													1
Endocrine	•	•	•	•	•	•				•			
Immunological	•	•	•	•	•	•	•	•		•	•	•	
Neurological	•	•	•	•									
Reproductive	•	•	•	•	•	•		•		•	•	•	
Developmental	•	•	•	•	•	•	•		•	•		•	
Other noncancer	•	•	•	•	•	•	•					•	
Cancer		•	•	•	•	•	•			•		•	

Figure 8 is an examples of endpoints studied by ATSDR with regards to epidemiological effects. It's represented as a chart with blue and white lines with black dots representing the data.

Figure 9. Examples of endpoints studied by ATSDR with regards to effects *in vivo*.

				_	Perfluoroalkyl								
Health Effect Endpoint	*	Or of	\$ ⁵	THE A	EMP 0	EDT &	ura or	Ker 4	NE 4	in the	Oogle 4	SHIP SE	55.P
Body weight	•	•	•	•	•	•		•	•	•	•	•	
Respiratory	•	•	•	•	•			•	•		•		
Cardiovascular	•	•	•		•			•	•	•	•		
Gastrointestinal	•	•	•		•			•	•	•	•		
Hematological	•	•	•		•	•		•	•	•	•]
Musculoskeletal	•	•	•					•	•		•]
Hepatic	•	•	•	•	•	•		•	•	•	•	•	
Renal	•	•	•		•	•		•	•	•	•		
Dermal	•	•							•				
Ocular	•	•						•	•		•		
Endocrine	•	•	•		•			•	•	•	•]
Immunological	•	•	•	•	•			•	•		•]
Neurological	•	•	•		•			•	•	•	•]
Reproductive	•	•	•	•				•	•	•	•]
Developmental	•	•	•	•	•	•		•	•	•	•		
Other noncancer	•			•]
Cancer	•	•]

Figure 9 is an example of endpoints studied by ATSDR with regards to effects in vivo. It is shown as a blue and white lined chart with black dots representing the data.

Figure 10. Most studies endpoints for PFOA (ATSDR, 2022).

Light bars = animal data.

Dark bars = human data.

	Perfluoroalkyl											
Health Effect Endpoint	*	for a	10° 4	HE A	FRIT O	EDT &	ura of	res. 4	(B) (4	est of	DODA PA	, Hara
Body weight	•	•	•	•	•	•		•	•	•	•	•
Respiratory	•	•	•	•	•			•	•		•	
Cardiovascular	•	•	•		•			•	•	•	•	
Gastrointestinal	•	•	•		•			•	•	•	•	
Hematological	•	•	•		•	•		•	•	•	•	
Musculoskeletal	•	•	•					•	•		•	
Hepatic	•	•	•	•	•	•		•	•	•	•	•
Renal	•	•	•		•	•		•	•	•	•	
Dermal	•	•							•			
Ocular		•						•	•		•	
Endocrine	•	•	•		•			•	•	•	•	
Immunological	•	•	•	•	•			•	•		•	
Neurological	•	•	•		•			•	•	•	•	
Reproductive	•	•	•	•				•	•	•	•	
Developmental	•	•	•	•	•	•		•	•	•	•	
Other noncancer	•			•								
Cancer	•	•										

Figure 10 shows results of most studies endpoints for PFOA (ATSDR, 2022). The data is shown in a graph with light blue and dark blue bars. Numbers are shown in white text. The graph has a key explaining the colours: Light bars = animal data, Dark bars = human data.

Figure 11. Most studies endpoints for PFOS (ATSDR, 2022).




Figure 11 shows most studies endpoints for PFOS (ATSDR, 2022). The data is shown in a graph with light blue and dark blue bars. Numbers are shown in white text. The graph uses the same key as figure 10

References

ATSDR, 2021. Toxicological Profile for Perfluoroalkyls. <u>Toxicological Profile for Perfluoroalkyls PDF</u>.

EFSA, 2020. Risk to human health related to the presence of perfluoroalkyl substances in food.

Risk to human health related to the presence of perfluoroalkyl substances in food (wiley.com)