First Draft Statement on the Potential Health Effects of Raspberry Leaf Tea in the Maternal Diet

Annex A - Abbreviations

In this guide

ADI	Acceptable daily intake
ALP	Alkaline phosphatase
ALT	Alanine aminotransferase
AMMC	3-[2-(N,N-diethyl-N-methylammonium)ethyl]-7-methoxy-4-methylcoumarin
API	Adiposity percentage
AST	Aspartate transaminase

BFC	7-benzyloxy-4-(trifluoromethyl)- coumarin
BMI	Body mass index
BQ	7-benzyloxyquinoline
bw	Body weight
CEC	3-cyano-7- ethoxycoumarin
CI	Confidence interval
CYP	Cytochrome P450
DES	Diethylbestrol
DMSO	Dimethylsulfoxide
EC50	Half-maximal effective concentration
EFC	7-ethoxy-4-trifloromethyl-coumarin
EMA	European Medicines Agency
ERES	Ethoxyresorufin
FSA	Food Standards Agency
GDM	Gestational diabetes mellitus
HBGV	Health-based guidance value

HPLC   High-performance liquid chromatography

IC50   Half-maximal inhibitory concentration

LCMS/MS Liquid chromatography mass spectrometry/mass spectrometry

LOQ   Limit of quantification

MFC   7-methoxy-4-(trifuoromethyl)-coumarin

MHRA   Medicines and Healthcare products Regulatory Agency

MRES   Methoxyresorufin

MRL   Maximum residue limit

NDNS   National Diet and Nutrition Survey

NOAEL   No-observed-adverse-effect level

NP   Non-pregnant

RLE   Raspberry leaf extract

RLE-H   High-temperature, high-pressure raspberry leaf extract

RLP   Raspberry leaf powder

SACN   Scientific Advisory Committee on Nutrition

TG2   Transglutaminase 2

TDI   Tolerable daily intake

TUL   Tolerable upper intake level

UKTIS   UK Teratology Information Service

WHO   World Health Organization