

References - PFAS/2023/04

In this guide

[In this guide](#)

1. [Introduction, Background and Literature search - PFAS/2023/04](#)
2. [In vivo thyroid toxicity studies - PFAS/2023/04](#)
3. [Summary of results - PFAS/2023/04](#)
4. [Discussion - PFAS/2023/04](#)
5. [List of Abbreviations - PFAS/2023/04](#)
6. [References - PFAS/2023/04](#)
7. [PFAS/2023/04 - Annex A](#)
8. [PFAS/2023/04 - Annex B](#)
9. [PFAS/2023/04 - Annex C](#)

Alison, R. H., Capen, C. C., & Prentice, D. E. (1994). Neoplastic lesions of questionable significance to humans. **Toxicol Pathol**, 22(2), 179-186.

<https://doi.org/10.1177/019262339402200211>

ATSDR. (2021). **Toxicological Profile for Perfluoroalkyls.**

Butenhoff, J., Costa, G., Elcombe, C., Farrar, D., Hansen, K., Iwai, H., Jung, R., Kennedy Jr, G., Lieder, P., Olsen, G., & Thomford, P. (2002). Toxicity of ammonium perfluorooctanoate in male cynomolgus monkeys after oral dosing for 6 months [Article]. **Toxicological Sciences**, 69(1), 244-257.

<https://doi.org/10.1093/toxsci/69.1.244>

Butenhoff, J. L., Bjork, J. A., Chang, S. C., Ehresman, D. J., Parker, G. A., Das, K., Lau, C., Lieder, P. H., van Otterdijk, F. M., & Wallace, K. B. (2012a). Toxicological evaluation of ammonium perfluorobutyrate in rats: Twenty-eight-day and ninety-day oral gavage studies [Article]. **Reproductive Toxicology**, 33(4), 513-530.

<https://doi.org/10.1016/j.reprotox.2011.08.004>

Butenhoff, J. L., Chang, S. C., Ehresman, D. J., & York, R. G. (2009a). Evaluation of potential reproductive and developmental toxicity of potassium perfluorohexanesulfonate in Sprague Dawley rats [Article]. **Reproductive Toxicology**, **27**(3-4), 331-341. <https://doi.org/10.1016/j.reprotox.2009.01.004>

Butenhoff, J. L., Chang, S. C., Olsen, G. W., & Thomford, P. J. (2012b). Chronic dietary toxicity and carcinogenicity study with potassium perfluorooctanesulfonate in Sprague Dawley rats [Article]. **Toxicology**, **293**(1-3), 1-15. <https://doi.org/10.1016/j.tox.2012.01.003>

Butenhoff, J. L., Ehresman, D. J., Chang, S. C., Parker, G. A., & Stump, D. G. (2009b). Gestational and lactational exposure to potassium perfluorooctanesulfonate (K+PFOS) in rats: Developmental neurotoxicity [Article]. **Reproductive Toxicology**, **27**(3-4), 319-330.
<https://doi.org/10.1016/j.reprotox.2008.12.010>

Butenhoff, J. L., Kennedy Jr, G. L., Chang, S. C., & Olsen, G. W. (2012c). Chronic dietary toxicity and carcinogenicity study with ammonium perfluorooctanoate in Sprague-Dawley rats [Article]. **Toxicology**, **298**(1-3), 1-13.
<https://doi.org/10.1016/j.tox.2012.04.001>

Chang, S., Allen, B. C., Andres, K. L., Ehresman, D. J., Falvo, R., Provencher, A., Olsen, G. W., & Butenhoff, J. L. (2017). Evaluation of serum lipid, thyroid, and hepatic clinical chemistries in association with serum perfluorooctanesulfonate (PFOS) in cynomolgus monkeys after oral dosing with potassium PFOS [Article]. **Toxicological Sciences**, **156**(2), 387-401, Article kfw267.
<https://doi.org/10.1093/toxsci/kfw267>

Chang, S. C., Ehresman, D. J., Bjork, J. A., Wallace, K. B., Parker, G. A., Stump, D. G., & Butenhoff, J. L. (2009). Gestational and lactational exposure to potassium perfluorooctanesulfonate (K+PFOS) in rats: Toxicokinetics, thyroid hormone status, and related gene expression [Article]. **Reproductive Toxicology**, **27**(3-4), 387-399. <https://doi.org/10.1016/j.reprotox.2009.01.005>

Chang, S. C., Thibodeaux, J. R., Eastvold, M. L., Ehresman, D. J., Bjork, J. A., Froehlich, J. W., Lau, C., Singh, R. J., Wallace, K. B., & Butenhoff, J. L. (2008). Thyroid hormone status and pituitary function in adult rats given oral doses of perfluorooctanesulfonate (PFOS) [Article]. **Toxicology**, **243**(3), 330-339.
<https://doi.org/10.1016/j.tox.2007.10.014>

Conley, J. M., Lambright, C. S., Evans, N., Medlock-Kakaley, E., Dixon, A., Hill, D., McCord, J., Strynar, M. J., Ford, J., & Gray, L. E., Jr. (2022). Cumulative maternal

and neonatal effects of combined exposure to a mixture of perfluorooctanoic acid (PFOA) and perfluorooctane sulfonic acid (PFOS) during pregnancy in the Sprague-Dawley rat [Article]. **Environment International**, **170**, 107631.

<https://doi.org/10.1016/j.envint.2022.107631>

Curran, I., Hierlihy, S. L., Liston, V., Pantazopoulos, P., Nunnikhoven, A., Tittlemier, S., Barker, M., Trick, K., & Bondy, G. (2008). Altered fatty acid homeostasis and related toxicologic sequelae in rats exposed to dietary potassium perfluorooctanesulfonate (PFOS) [Article]. **Journal of Toxicology and Environmental Health - Part A: Current Issues**, **71**(23), 1526-1541.

<https://doi.org/10.1080/15287390802361763>

EFSA. (2012). Guidance on selected default values to be used by the EFSA Scientific Committee, Scientific Panels and Units in the absence of actual measured data. **EFSA Journal**, **10**(30), 2579.

<https://doi.org/https://doi.org/10.2903/j.efsa.2012.2579>

EFSA. (2018). Risk to human health related to the presence of perfluorooctane sulfonic acid and perfluorooctanoic acid in food. **EFSA Journal**, **16**(12), 5194.
<https://doi.org/https://doi.org/10.2903/j.efsa.2018.5194>

EFSA. (2020). Risk to human health related to the presence of perfluoroalkyl substances in food. **EFSA Journal**, **18**(9), 6223.

<https://doi.org/https://doi.org/10.2903/j.efsa.2020.6223>

Elcombe, C. R., Elcombe, B. M., Foster, J. R., Chang, S. C., Ehresman, D. J., & Butenhoff, J. L. (2012a). Hepatocellular hypertrophy and cell proliferation in Sprague-Dawley rats from dietary exposure to potassium perfluorooctanesulfonate results from increased expression of xenosensor nuclear receptors PPAR α and CAR/PXR [Article]. **Toxicology**, **293**(1-3), 16-29.

<https://doi.org/10.1016/j.tox.2011.12.014>

Elcombe, C. R., Elcombe, B. M., Foster, J. R., Chang, S. C., Ehresman, D. J., Noker, P. E., & Butenhoff, J. L. (2012b). Evaluation of hepatic and thyroid responses in male Sprague Dawley rats for up to eighty-four days following seven days of dietary exposure to potassium perfluorooctanesulfonate [Article]. **Toxicology**, **293**(1-3), 30-40. <https://doi.org/10.1016/j.tox.2011.12.015>

Feng, X., Cao, X., Zhao, S., Wang, X., Hua, X., Chen, L., & Chen, L. (2017). Exposure of pregnant mice to perfluorobutanesulfonate causes hypothyroxinemia and developmental abnormalities in female offspring [Article]. **Toxicological Sciences**, **155**(2), 409-419. <https://doi.org/10.1093/toxsci/kfw219>

Fuentes, S., Colomina, M. T., Rodriguez, J., Vicens, P., & Domingo, J. L. (2006). Interactions in developmental toxicology: Concurrent exposure to perfluorooctane sulfonate (PFOS) and stress in pregnant mice [Article]. **Toxicology Letters**, **164** (1), 81-89. <https://doi.org/10.1016/j.toxlet.2005.11.013>

Gilbert, M. E., O'Shaughnessy, K. L., Thomas, S. E., Riutta, C., Wood, C. R., Smith, A., Oshiro, W. O., Ford, R. L., Hotchkiss, M. G., Hassan, I., & Ford, J. L. (2021). Thyroid Disruptors: Extrathyroidal Sites of Chemical Action and Neurodevelopmental Outcome-An Examination Using Triclosan and Perfluorohexane Sulfonate [Article]. **Toxicological Sciences**, **183**(1), 195-213. <https://doi.org/10.1093/toxsci/kfab080>

Griffith, F. D., & Long, J. E. (1980). Animal toxicity studies with ammonium perfluorooctanoate [Article]. **American Industrial Hygiene Association Journal**, **41**(8), 576-583. <https://doi.org/10.1080/15298668091425301>

Harris, M. W., Uraih, L. C., & Birnbaum, L. S. (1989). Acute toxicity of perfluorodecanoic acid in C57BL/6 mice differs from 2,3,7,8-tetrachlorodibenzo-p-dioxin [Article]. **Toxicological Sciences**, **13**(4), 723-736. <https://doi.org/10.1093/toxsci/13.4.723>

Hirata-Koizumi, M., Fujii S, Hina K, Matsumoto M, Takahashi M, Ono A and Hirose A. (2015). Repeated dose and reproductive/developmental toxicity of long-chain perfluoroalkyl carboxylic acids in rats: perfluorohexadecanoic acid and perfluorotetradecanoic acid. . **Fundamental Toxicological Sciences**, **2** , 177-190.

Klimisch, H. J., Andreea, M., & Tillmann, U. (1997). A systematic approach for evaluating the quality of experimental toxicological and ecotoxicological data. **Regul Toxicol Pharmacol**, **25**(1), 1-5. <https://doi.org/10.1006/rtpb.1996.1076>

Langley, A. E., & Pilcher, G. D. (1985). Thyroid, bradycardic and hypothermic effects of perfluoro-n-decanoic acid in rats [Article]. **Journal of Toxicology and Environmental Health**, **15**(3-4), 485-491. <https://doi.org/10.1080/15287398509530675>

Lau, C., Thibodeaux, J. R., Hanson, R. G., Rogers, J. M., Grey, B. E., Stanton, M. E., Butenhoff, J. L., & Stevenson, L. A. (2003). Exposure to perfluorooctane sulfonate during pregnancy in rat and mouse. II: postnatal evaluation. **Toxicol Sci**, **74**(2), 382-392. <https://doi.org/10.1093/toxsci/kfg122>

Loveless, S. E., Slezak, B., Serex, T., Lewis, J., Mukerji, P., O'Connor, J. C., Donner, E. M., Frame, S. R., Korzeniowski, S. H., & Buck, R. C. (2009). Toxicological evaluation of sodium perfluorohexanoate [Article]. **Toxicology**, **264**(1-2), 32-44. <https://doi.org/10.1016/j.tox.2009.07.011>

Luebker, D. J., York, R. G., Hansen, K. J., Moore, J. A., & Butenhoff, J. L. (2005). Neonatal mortality from in utero exposure to perfluorooctanesulfonate (PFOS) in Sprague-Dawley rats: Dose-response, and biochemical and pharmacokinetic parameters [Article]. **Toxicology**, **215**(1-2), 149-169. <https://doi.org/10.1016/j.tox.2005.07.019>

NTP. (2022a). NTP Technical Report on the Toxicity Studies of Perfluoroalkyl Carboxylates (Perfluorohexanoic Acid, Perfluorooctanoic Acid, Perfluorononanoic Acid, and Perfluorodecanoic Acid) Administered by Gavage to Sprague Dawley (Hsd:Sprague Dawley SD) Rats (Revised). NTP TOX 97. August 2019. Revised July 2022.

NTP. (2022b). NTP Technical Report on the Toxicity Studies of Perfluoroalkyl Sulfonates (Perfluorobutane Sulfonic Acid, Perfluorohexane Sulfonate Potassium Salt, and Perfluorooctane Sulfonic Acid) Administered by Gavage to Sprague Dawley (Hsd:Sprague Dawley SD) Rats (Revised). NTP TOX 96. August 2019. Revised July 2022.

Ramhøj, L., Hass, U., Boberg, J., Scholze, M., Christiansen, S., Nielsen, F., & Axelstad, M. (2018). Perfluorohexane sulfonate (PFHxS) and a mixture of endocrine disrupters reduce thyroxine levels and cause antiandrogenic effects in rats [Article]. **Toxicological Sciences**, **163**(2), 579-591.

<https://doi.org/10.1093/toxsci/kfy055>

Ramhøj, L., Hass, U., Gilbert, M. E., Wood, C., Svingen, T., Usai, D., Vinggaard, A. M., Mandrup, K., & Axelstad, M. (2020). Evaluating thyroid hormone disruption: investigations of long-term neurodevelopmental effects in rats after perinatal exposure to perfluorohexane sulfonate (PFHxS) [Article]. **Scientific Reports**, **10**(1), Article 2672. <https://doi.org/10.1038/s41598-020-59354-z>

Seacat, A. M., Thomford, P. J., Hansen, K. J., Olsen, G. W., Case, M. T., & Butenhoff, J. L. (2002). Subchronic toxicity studies on perfluorooctanesulfonate potassium salt in cynomolgus monkeys [Article]. **Toxicological Sciences**, **68**(1), 249-264. <https://doi.org/10.1093/toxsci/68.1.249>

Thibodeaux, J. R., Hanson, R. G., Rogers, J. M., Grey, B. E., Barbee, B. D., Richards, J. H., Butenhoff, J. L., Stevenson, L. A., & Lau, C. (2003). Exposure to

perfluorooctane sulfonate during pregnancy in rat and mouse. I: Maternal and prenatal evaluations [Review]. **Toxicological Sciences**, 74(2), 369-381. <https://doi.org/10.1093/toxsci/kfg121>

USEPA. (2023). **IRIS Toxicological Review of Perfluorohexanesulfonic Acid (PFHxS, CASRN 335-46-4) and Related Salts. EPA/635/R-23/148a. External Review Draft.**

Van Rafeleghem, M. J., Inhorn, S. L., & Peterson, R. E. (1987). Effects of perfluorodecanoic acid on thyroid status in rats [Article]. **Toxicology and Applied Pharmacology**, 87(3), 430-439. [https://doi.org/10.1016/0041-008X\(87\)90248-1](https://doi.org/10.1016/0041-008X(87)90248-1)

Wang, F., Liu, W., Jin, Y., Dai, J., Zhao, H., Xie, Q., Liu, X., Yu, W., & Ma, J. (2011). Interaction of PFOS and BDE-47 co-exposure on thyroid hormone levels and TH-related gene and protein expression in developing rat brains [Article]. **Toxicological Sciences**, 121(2), 279-291. <https://doi.org/10.1093/toxsci/kfr068>

Yu, W. G., Liu, W., & Jin, Y. H. (2009a). Effects of perfluorooctane sulfonate on RAT thyroid hormone biosynthesis and metabolism [Article]. **Environmental Toxicology and Chemistry**, 28(5), 990-996. <https://doi.org/10.1897/08-345.1>

Yu, W. G., Liu, W., Jin, Y. H., Liu, X. H., Wang, F. Q., Liu, L., & Nakayama, S. F. (2009b). Prenatal and postnatal impact of perfluorooctane sulfonate (PFOS) on rat development: a cross-foster study on chemical burden and thyroid hormone system. **Environ Sci Technol**, 43(21), 8416-8422.

<https://doi.org/10.1021/es901602d>

Yu, W. G., Liu, W., Liu, L., & Jin, Y. H. (2011). Perfluorooctane sulfonate increased hepatic expression of OAPT2 and MRP2 in rats [Article]. **Archives of Toxicology**, 85(6), 613-621. <https://doi.org/10.1007/s00204-010-0613-x>