Abbreviations - Raspberry leaf tea

In this guide

ADI	Acceptable daily intake
ALP	Alkaline phosphatase
ALT	Alanine aminotransferase
AMMC	3-[2-(N,N-diethyl-N-methylammonium)ethyl]-7-methoxy-4-methylcoumarin
API	Adiposity percentage
AST	Aspartate transaminase

BFC	7-benzyloxy-4-(trifluoromethyl)- coumarin
BMI	Body mass index
BQ	7-benzyloxyquinoline
bw	Body weight
CEC	3-cyano-7- ethoxycoumarin
CI	Confidence interval
CYP	Cytochrome P450
DES	Diethylstilbestrol
DMSO	Dimethylsulfoxide
EC50	Half-maximal effective concentration
EFC	7-ethoxy-4-trifloromethyl-coumarin
EMA	European Medicines Agency
ERES	Ethoxyresorufin
FSA	Food Standards Agency
GDM	Gestational diabetes mellitus
HBGV	Health-based guidance value

HPLC	High-performance liquid chromatography
IC50	Half-maximal inhibitory concentration
LCMS/MS	Liquid chromatography mass spectrometry/mass spectrometry
LOQ	Limit of quantification
MFC	7-methoxy-4-(trifuoromethyl)-coumarin
MHRA	Medicines and Healthcare products Regulatory Agency
MRES	Methoxyresorufin
MRL	Maximum residue level
NDNS	National Diet and Nutrition Survey
NOAEL	No-observed-adverse-effect level
NP	Non-pregnant
RLE	Raspberry leaf extract
RLE-H	High-temperature, high-pressure raspberry leaf extract
RLP	Raspberry leaf powder
SACN	Scientific Advisory Committee on Nutrition
TG2	Transglutaminase 2

TDI	Tolerable daily intake
TUL	Tolerable upper intake level
UKTIS	UK Teratology Information Service
WHO	World Health Organization