

# Annex A

## In this guide

### [In this guide](#)

1. [Calcidiol supplementation during pregnancy - Introduction and Background](#)
2. [Calcidiol supplementation during pregnancy - Toxicokinetics](#)
3. [Calcidiol supplementation during pregnancy - Toxicity](#)
4. [Calcidiol supplementation during pregnancy - Health based guidance values](#)
5. [Calcidiol supplementation during pregnancy - Exposure assessment](#)
6. [Calcidiol supplementation during pregnancy - Risk characterisation](#)
7. [Calcidiol supplementation during pregnancy - Conclusions and Questions](#)
8. [Calcidiol supplementation during pregnancy - List of Abbreviations and Technical terms](#)
9. [Calcidiol supplementation during pregnancy - References](#)
10. [Calcidiol supplementation during pregnancy - Search Terms](#)
11. [Calcidiol supplementation during pregnancy - Annex A](#)

The data presented in the tables below are based on consumers of foods reported in the NDNS ((Bates et al., 2014, 2016; 2018, 2020).

Table A1: Estimated acute consumption of foods containing Calcidiol for women of childbearing age (16-49 years).

Food Groups	No. of consumers	Consumption		Consumption	
		(g/person/day) *	97.5	(g/kg bw/day) *	P97.5
		Mean		Mean	
Semi-skimmed milk	2083	200	620	3	9.7

Whole milk	1333	130	560	2	8.5
Butter	1736	16	51	0.24	0.77
Egg yolk	2128	34	93	0.5	1.4
Salmon	375	79	200	1.2	3.3
Trout	168	78	240	1.2	3.7
Pork cuts	1406	70	210	1	3.1
Pork rind	69	16	62	0.23	0.89
Pork liver	68	20	53	0.28	0.7
Cow Kidney	17**	15	27	0.21	0.43
Beef Liver	96	36	120	0.54	2.1

\*Rounded to 2 s.f.

\*\* Consumption or exposure estimates made with a small number of consumers may not be accurate. Where the number of consumers is less than 60, this should be treated with caution and may not be representative for a large number of consumers.

Table A2: Estimated chronic consumption of foods containing Calcidol for women of childbearing age (16-49 years).

Food Groups	No. of consumers	(g/person/day)	P97.5	(g/kg bw/day) *	P97.5
		* Mean		Mean	
Semi-skimmed milk	2083	110	400	1.7	5.7
Whole milk	1333	65	330	1	5
Butter	1736	6.9	25	0.1	0.4
Egg yolk	2128	13	39	0.2	0.63
Salmon	375	22	54	0.34	0.89
Trout	168	22	73	0.3	1
Pork cuts	1406	23	81	0.34	1.3
Pork rind	69	4.3	15	0.064	0.23
Pork liver	68	5.8	19	0.084	0.27
Cow Kidney	17**	3.9	7.4	0.054	0.11
Beef Liver	96	10	35	0.15	0.54

\*Rounded to 2 s.f.

\*\* Consumption or exposure estimates made with a small number of consumers may not be accurate. Where the number of consumers is less than 60, this should be treated with caution and may not be representative for a large number of consumers.