Deriving a health-based guidance value for antimony to support development of UK Drinking Water Standards – further information

List of abbreviations and their full meanings

In this guide

In this guide

- 1. Antimony Introduction and Background
- 2. Properties of different antimony compounds
- 3. Antimony Summary of findings from toxicity studies
- 4. Antimony intraperitoneal injection studies by NTP
- 5. Summary of information from TOX/2024/38 and TOX/2025/04
- 6. Antimony Questions for the Committee
- 7. Antimony List of abbreviations and their full meanings
- 8. Antimony References
- Antimony Annex A Summary of studies with NOAEL values above 6,000 μg Sb/kg bw/day
- 10. Antimony Annex A Tabulated summary of antimony studies
- 11. Antimony Annex References
- AST Aspartate Aminotransferase
- ATSDR Agency for Toxic Substances and Disease Registry
- bw Body Weight
- CAS Chemical Abstracts Service
- COT Committee on Toxicity of Chemicals in Food, Consumer Products and the Environment

GSH Glutathione

- HBGV Health-based guidance value
- ICP-MS Inductively Coupled Plasma – Mass Spectrometry
- i.m. Intramuscular
- i.p. Intraperitoneal
- i.v. Intravenous
- LOAEL Lowest Observed Adverse Effect Level the lowest dose in a study at which adverse effect(s) are observed.
- MA Meglumine Antimoniate
- mg Milligram
- μg Microgram

Minimal Risk Level - an estimate of the daily human exposure to a substance that is likely to be without appreciable risk of adverse non-

- MRL cancer health effects over a specified duration of exposure.
- NOAEL NO Observed Adverse Effect Level the highest administered dose at which no adverse effect has been observed.
- NTP National Toxicology Program
- ppm Parts per million
- PVA Pentavalent Antimony
- Sb Antimony
- SSG Sodium Stibogluconate

Tolerable Daily Intake - an estimate of the amount of a contaminant,

- TDI expressed on a body weight basis (e.g., mg/kg body weight) that can be ingested over a lifetime without appreciable health risk.
- WHO World Health Organization