

Annex A - Discussion paper on novel formulations of supplement compounds designed to increase oral bioavailability

References

In this guide

[In this guide](#)

1. [Contents - Annex A](#)
2. [Background - Annex A](#)
3. [Novel formulations of supplement compounds - Annex A](#)
4. [Lipid-based delivery systems - Annex A](#)
5. [Other systems to increase bioavailability - Annex A](#)
6. [Uncertainties surrounding novel supplement formulations - Annex A](#)
7. [Market data and projected trends - Annex A](#)
8. [Case studies of supplement formulations with increased bioavailability - Annex A](#)
9. [Case study 1: Liposomal vitamin C - Annex A](#)
10. [Case study 2: Curcuminoids - Annex A](#)
11. [Case study 3: Cannabidiol - Annex A](#)
12. [Toxicology studies with novel supplement formulations - Annex A](#)
13. [Summary and discussion - Annex A](#)
14. [Questions for the Committee - Annex A](#)
15. [Abbreviations - Annex A](#)
16. [Glossary - Annex A](#)
17. [References - Annex A](#)
18. [Appendix A: Literature search for specific toxicology studies with novel supplement formulations](#)

Abundance and Health., 2021. Altrient C Welcomes Latest ASA Ruling on Clarity of Liposomal Vitamin C Marketing. Available at. Accessed 16th February 2023.

Advertising Standards Authority., 2021. ASA Ruling on YourZooki Ltd. [YourZooki Ltd - ASA | CAP](#) Accessed 31st January 2023.

Ahmed, K., Li, Y., McClements, D.J., Xiao, H., 2012. Nanoemulsion- and emulsion-based delivery systems for curcumin: Encapsulation and release properties. *Food Chemistry* 132, 799–807. <https://doi.org/10.1016/j.foodchem.2011.11.039>

Ajeeshkumar, K.K., Aneesh, P.A., Raju, N., Suseela, M., Ravishankar, C.N., Benjakul, S., 2021. Advancements in liposome technology: Preparation techniques and applications in food, functional foods, and bioactive delivery: A review. *Comprehensive Reviews in Food Science and Food Safety* 20, 1280–1306. <https://doi.org/10.1111/1541-4337.12725> [Abstract only]

Akbarzadeh, A., Rezaei-Sadabady, R., Davaran, S., Joo, S.W., Zarghami, N., Hanifehpour, Y., Samiei, M., Kouhi, M., Nejati-Koshki, K., 2013. Liposome: classification, preparation, and applications. *Nanoscale Research Letters* 8, 102. <https://doi.org/10.1186/1556-276X-8-102>

Allen, T.M., McAllister, L., Mausolf, S., Gyorffy, E., 1981. Liposome-cell interactions A study of the interactions of liposomes containing entrapped anti-cancer drugs with the EMT6, S49 and AE1 (transport-deficient) cell lines. *Biochimica et Biophysica Acta (BBA) - Biomembranes* 643, 346–362. [https://doi.org/10.1016/0005-2736\(81\)90080-8](https://doi.org/10.1016/0005-2736(81)90080-8)

Ali, A., Ahmad, U., Akhtar, J., Badruddeen, Khan, M.M., 2019. Engineered nano scale formulation strategies to augment efficiency of nutraceuticals. *Journal of Functional Foods* 62, 103554. <https://doi.org/10.1016/j.jff.2019.103554>

Altrient. (n.d.) Real Results. [Real Results | Altrient](#) Accessed 16th February 2023.

Andar, A.U., Hood, R.R., Vreeland, W.N., Devoe, D.L., Swaan, P.W., 2014. Microfluidic preparation of liposomes to determine particle size influence on cellular uptake mechanisms. *Pharm Res* 31, 401–413. <https://doi.org/10.1007/s11095-013-1171-8>

Antony, B., Merina², B., Iyer², V.S., Judy², N., Lennertz², K., Joyal², S., 2008. A Pilot Cross-Over Study to Evaluate Human Oral Bioavailability of BCM-95? CG (BiocurcumaxTM), A Novel Bioenhanced Preparation of Curcumin. *Indian Journal of Pharmaceutical Sciences* 70, 445. <https://doi.org/10.4103/0250-474X.44591>

Asher, G.N., Xie, Y., Moaddel, R., Sanghvi, M., Dossou, K.S.S., Kashuba, A.D.M., Sandler, R.S., Hawke, R.L., 2017. Randomized Pharmacokinetic Crossover Study Comparing 2 Curcumin Preparations in Plasma and Rectal Tissue of Healthy Human Volunteers. *The Journal of Clinical Pharmacology* 57, 185–193. <https://doi.org/10.1002/jcph.806>

Aswathanarayan, J.B., Vittal, R.R., 2019. Nanoemulsions and Their Potential Applications in Food Industry. *Frontiers in Sustainable Food Systems* 3.

Benzaria, A., Chevalier-Lucia, D., Picart-Palmade, L., Hue, P., López-Pedemonte, T., Dumay, E., 2013. Intracellular fate of retinyl acetate-loaded submicron delivery systems by in vitro intestinal epithelial cells: a comparison between whey protein-stabilised submicron droplets and micelles stabilised with polysorbate 80. *Food Research International* 51, 679–692.

Bhalani, D.V., Nutan, B., Kumar, A., Singh Chandel, A.K., 2022. Bioavailability Enhancement Techniques for Poorly Aqueous Soluble Drugs and Therapeutics. *Biomedicines* 10, 2055. <https://doi.org/10.3390/biomedicines10092055>

Blair, E., Labs, V., Collins, F., 2021. Liposomal Cannabidiol Delivery: A Pilot Study. *American Journal of Endocannabinoid Medicine* 2, 1, 19-21.

Blumenthal, R., Weinstein, J.N., Sharrow, S.O., Henkart, P., 1977. Liposome--lymphocyte interaction: saturable sites for transfer and intracellular release of liposome contents. *Proceedings of the National Academy of Sciences* 74, 5603–5607. <https://doi.org/10.1073/pnas.74.12.5603>

Bogman, K., Zysset, Y., Degen, L., Hopfgartner, G., Gutmann, H., Alsenz, J., Drewe, J., 2005. P-glycoprotein and surfactants: effect on intestinal talinolol absorption. *Clin Pharmacol Ther* 77, 24–32. <https://doi.org/10.1016/j.clpt.2004.09.001>

Briskey, D., Sax, A., Mallard, A.R., Rao, A., 2019. Increased bioavailability of curcumin using a novel dispersion technology system (LipiSpense®). *Eur J Nutr* 58, 2087–2097. <https://doi.org/10.1007/s00394-018-1766-2>

Carrière, F., Moreau, H., Raphel, V., Laugier, R., Benicourt, C., Junien, J.L., Verger, R., 1991. Purification and biochemical characterization of dog gastric lipase. *Eur J Biochem* 202, 75–83. <https://doi.org/10.1111/j.1432-1033.1991.tb16346.x>

Cerqueira, M.A., Pinheiro, A.C., Pastrana, L.M., Vicente, A.A., 2019. Amphiphilic Modified Galactomannan as a Novel Potential Carrier for Hydrophobic Compounds. *Front. Sustain. Food Syst.* 3, 17. <https://doi.org/10.3389/fsufs.2019.00017>

Choi, S.J., McClements, D.J., 2020. Nanoemulsions as delivery systems for lipophilic nutraceuticals: strategies for improving their formulation, stability, functionality and bioavailability. *Food Sci Biotechnol* 29, 149–168.

<https://doi.org/10.1007/s10068-019-00731-4>

Committee on Toxicity of Chemicals in Food, Consumer Products, and the Environment. 2022a. Second draft statement on the potential risk to human health of turmeric and curcumin supplements.

cot.food.gov.uk/Turmeric_Curcumin_Second_draft_statement

Committee on Toxicity of Chemicals in Food, Consumer Products, and the Environment. 2022b. Discussion paper on the potential risk to human health of turmeric and curcumin supplements. [Discussion paper on the potential risk to human health of turmeric and curcumin supplements | Committee on Toxicity](#)

Committee on Toxicity of Chemicals in Food, Consumer Products, and the Environment. 2023. 2022 Annual Report of the COT. Annex 5: Glossary. [Annex 5 Glossary](#) Accessed 4th May 2023.

Constantinides, P.P., Wasan, K.M., 2007. Lipid formulation strategies for enhancing intestinal transport and absorption of P-glycoprotein (P-gp) substrate drugs: in vitro/in vivo case studies. *J Pharm Sci* 96, 235–248.

<https://doi.org/10.1002/jps.20780> [Abstract only]

Cuomo, J., Appendino, G., Dern, A.S., Schneider, E., McKinnon, T.P., Brown, M.J., Togni, S., Dixon, B.M., 2011. Comparative Absorption of a Standardized Curcuminoid Mixture and Its Lecithin Formulation. *J. Nat. Prod.* 74, 664–669.

<https://doi.org/10.1021/np1007262>

Davis, J.L., Paris, H.L., Beals, J.W., Binns, S.E., Giordano, G.R., Scalzo, R.L., Schweder, M.M., Blair, E., Bell, C., 2016. Liposomal-encapsulated Ascorbic Acid: Influence on Vitamin C Bioavailability and Capacity to Protect Against Ischemia-Reperfusion Injury. *Nutr Metab Insights* 9, 25–30.

<https://doi.org/10.4137/NMI.S39764>

De Prá, M.A.A., Vardanega, R., Loss, C.G., 2021. Lipid-based formulations to increase cannabidiol bioavailability: In vitro digestion tests, pre-clinical assessment and clinical trial. *Int J Pharm* 609, 121159.

<https://doi.org/10.1016/j.ijpharm.2021.121159>

Duconge, J., Miranda-Massari, J.R., Gonzalez, M.J., Jackson, J.A., Warnock, W., Riordan, N.H., 2008. Pharmacokinetics of vitamin C: insights into the oral and intravenous administration of ascorbate. *P R Health Sci J* 27, 7–19.

EFSA., 2018. Guidance on risk assessment of the application of nanoscience and nanotechnologies in the food and feed chain: Part 1, human and animal health. EFSA Journal 16, e05327. <https://doi.org/10.2903/j.efsa.2018.5327>

Expert Group on Vitamins and Minerals, 2003. Safe Upper Levels for Vitamins and Minerals. [vitmin2003.pdf](#) Accessed 13th April 2023.

Fança-Berthon, P., Tenon, M., Bouter-Banon, S.L., Manfré, A., Maudet, C., Dion, A., Chevallier, H., Laval, J., van Breemen, R.B., 2021. Pharmacokinetics of a Single Dose of Turmeric Curcuminoids Depends on Formulation: Results of a Human Crossover Study. The Journal of Nutrition 151, 1802–1816. <https://doi.org/10.1093/jn/nxab087>

Fanun, M., 2012. Microemulsions as delivery systems. Current Opinion in Colloid & Interface Science 17, 306–313. <https://doi.org/10.1016/j.cocis.2012.06.001>

Flory, S., Sus, N., Haas, K., Jehle, S., Kienhöfer, E., Waehler, R., Adler, G., Venturelli, S., Frank, J., 2021. Increasing Post-Digestive Solubility of Curcumin Is the Most Successful Strategy to Improve its Oral Bioavailability: A Randomized Cross-Over Trial in Healthy Adults and In Vitro Bioaccessibility Experiments. Molecular Nutrition & Food Research 65, 2100613. <https://doi.org/10.1002/mnfr.202100613>

Ganesan, P., Ramalingam, P., Karthivashan, G., Ko, Y.T., Choi, D.-K., 2018. Recent developments in solid lipid nanoparticle and surface-modified solid lipid nanoparticle delivery systems for oral delivery of phyto-bioactive compounds in various chronic diseases. IJN 13, 1569–1583. <https://doi.org/10.2147/IJN.S155593>

Garti, N., Aserin, A., 2012. 9 - Micelles and microemulsions as food ingredient and nutraceutical delivery systems, in: Garti, Nissim, McClements, D.J. (Eds.), Encapsulation Technologies and Delivery Systems for Food Ingredients and Nutraceuticals, Woodhead Publishing Series in Food Science, Technology and Nutrition. Woodhead Publishing, pp. 211–251. <https://doi.org/10.1533/9780857095909.3.211> [Abstract only]

Goh, J., Menke, W., Herrick, L.P., Campbell, M.S., Abel, M.G., Fleenor, B.S., Bergstrom, H.C., 2020. Examination of Curcumin and Fenugreek Soluble Fiber Supplementation on Submaximal and Maximal Aerobic Performance Indices. J Funct Morphol Kinesiol 5, 34. <https://doi.org/10.3390/jfmk5020034>

Gopi, S., Balakrishnan, P., 2021. Evaluation and clinical comparison studies on liposomal and non-liposomal ascorbic acid (vitamin C) and their enhanced

bioavailability. *J Liposome Res* 31, 356–364.

<https://doi.org/10.1080/08982104.2020.1820521>

Gota, V.S., Maru, G.B., Soni, T.G., Gandhi, T.R., Kochar, N., Agarwal, M.G., 2010. Safety and Pharmacokinetics of a Solid Lipid Curcumin Particle Formulation in Osteosarcoma Patients and Healthy Volunteers. *J. Agric. Food Chem.* 58, 2095–2099. <https://doi.org/10.1021/jf9024807> [Abstract only]

Greil, R., Greil-Ressler, S., Weiss, L., Schönlieb, C., Magnes, T., Radl, B., Bolger, G.T., Vcelar, B., Sordillo, P.P., 2018. A phase 1 dose-escalation study on the safety, tolerability and activity of liposomal curcumin (Lipocurc™) in patients with locally advanced or metastatic cancer. *Cancer Chemother Pharmacol* 82, 695–706. <https://doi.org/10.1007/s00280-018-3654-0>

Giulimondi, F., Digiacomo, L., Pozzi, D., Palchetti, S., Vulpis, E., Capriotti, A.L., Chiozzi, R.Z., Laganà, A., Amenitsch, H., Masuelli, L., Peruzzi, G., Mahmoudi, M., Screpanti, I., Zingoni, A., Caracciolo, G., 2019. Interplay of protein corona and immune cells controls blood residency of liposomes. *Nat Commun* 10, 3686. <https://doi.org/10.1038/s41467-019-11642-7>

Gursoy, N.R., Benita, S., 2004. Self-emulsifying drug delivery systems (SEDDS) for improved oral delivery of lipophilic drugs. *Biomedicine & Pharmacotherapy* 58, 173–182. <https://doi.org/10.1016/j.biopha.2004.02.001>

Haley, B., Frenkel, E., 2008. Nanoparticles for drug delivery in cancer treatment. *Urologic Oncology: Seminars and Original Investigations, The Potential of Nanotechnology in Urologic Oncology* 26, 57–64. <https://doi.org/10.1016/j.urolonc.2007.03.015>

Hickey, S., Roberts, H.J., Miller, N.J., 2008. Pharmacokinetics of oral vitamin C. *Journal of Nutritional & Environmental Medicine* 17, 169–177. <https://doi.org/10.1080/13590840802305423>

Hobbs, J.M., Vazquez, A.R., Remijan, N.D., Trotter, R.E., McMillan, T.V., Freedman, K.E., Wei, Y., Woelfel, K.A., Arnold, O.R., Wolfe, L.M., Johnson, S.A., Weir, T.L., 2020. Evaluation of pharmacokinetics and acute anti-inflammatory potential of two oral cannabidiol preparations in healthy adults. *Phytotherapy Research* 34, 1696–1703. <https://doi.org/10.1002/ptr.6651>

Huang, Q., Yu, H., Ru, Q., 2010. Bioavailability and Delivery of Nutraceuticals Using Nanotechnology. *Journal of Food Science* 75, R50–R57. <https://doi.org/10.1111/j.1750-3841.2009.01457.x>

Im, K., Ravi, A., Kumar, D., Kuttan, R., Maliakel, B., 2012. An enhanced bioavailable formulation of curcumin using fenugreek-derived soluble dietary fibre. *Journal of Functional Foods* 4, 348–357.

<https://doi.org/10.1016/j.jff.2012.01.004>

Imran, M., Revol-Junelles, A.-M., Paris, C., Guedon, E., Linder, M., Desobry, S., 2015. Liposomal nanodelivery systems using soy and marine lecithin to encapsulate food biopreservative nisin. *LWT - Food Science and Technology* 62, 341–349. <https://doi.org/10.1016/j.lwt.2014.12.046>

Inglut, C.T., Sorrin, A.J., Kuruppu, T., Vig, S., Cicalo, J., Ahmad, H., Huang, H.-C., 2020. Immunological and Toxicological Considerations for the Design of Liposomes. *Nanomaterials (Basel)* 10, 190. <https://doi.org/10.3390/nano10020190>

Iqbal, J., Hussain, M.M., 2009. Intestinal lipid absorption. *American Journal of Physiology-Endocrinology and Metabolism* 296, E1183–E1194.

<https://doi.org/10.1152/ajpendo.90899.2008>

Izgelov, D., Davidson, E., Barasch, D., Regev, A., Domb, A.J., Hoffman, A., 2020. Pharmacokinetic investigation of synthetic cannabidiol oral formulations in healthy volunteers. *European Journal of Pharmaceutics and Biopharmaceutics* 154, 108–115. <https://doi.org/10.1016/j.ejpb.2020.06.021>

Jacob, J., Sukumaran, N.P., Jude, S., 2021. Fiber-Reinforced-Phospholipid Vehicle-Based Delivery of l -Ascorbic Acid: Development, Characterization, ADMET Profiling, and Efficacy by a Randomized, Single-Dose, Crossover Oral Bioavailability Study. *ACS Omega* 6, 5560–5568.

<https://doi.org/10.1021/acsomega.0c05963>

Jäger, R., Lowery, R.P., Calvanese, A.V., Joy, J.M., Purpura, M., Wilson, J.M., 2014. Comparative absorption of curcumin formulations. *Nutrition Journal* 13, 11.

<https://doi.org/10.1186/1475-2891-13-11>

Jamwal, R., 2018. Bioavailable curcumin formulations: A review of pharmacokinetic studies in healthy volunteers. *Journal of Integrative Medicine* 16, 367–374. <https://doi.org/10.1016/j.joim.2018.07.001>

Corrigendum to “Bioavailable curcumin formulations: A review of pharmacokinetic studies in healthy volunteers” [*J. Integr. Med.* 16(6) (2018) 367-374] - PubMed [WWW Document], n.d. URL <https://pubmed.ncbi.nlm.nih.gov/31126792/> (accessed 2.1.23).

Jones, D., Caballero, S., Davidov-Pardo, G., 2019. Chapter Six - Bioavailability of nanotechnology-based bioactives and nutraceuticals, in: Lim, L.-T., Rogers, M. (Eds.), *Advances in Food and Nutrition Research, Food Applications of Nanotechnology*. Academic Press, pp. 235–273.

<https://doi.org/10.1016/bs.afnr.2019.02.014> [Abstract only]

Joseph, A., Kumar, D., Balakrishnan, A., Shanmughan, P., Maliakel, B., Im, K., 2021. Surface-engineered liposomal particles of calcium ascorbate with fenugreek galactomannan enhanced the oral bioavailability of ascorbic acid: a randomized, double-blinded, 3-sequence, crossover study. *RSC Adv.* 11, 38161–38171.

<https://doi.org/10.1039/D1RA06483E>

Kanae, H., Teshima, K., Shiroma, T., Noguchi, K., 2022. Pharmacokinetics of a single dose of novel curcumin formulations mixed with fish oils in healthy humans. *Bioscience, Biotechnology, and Biochemistry* 86, 1688–1694.

<https://doi.org/10.1093/bbb/zbac161>

Kharat, M., McClements, D.J., 2019. Recent advances in colloidal delivery systems for nutraceuticals: A case study – Delivery by Design of curcumin. *Journal of Colloid and Interface Science* 557, 506–518.

<https://doi.org/10.1016/j.jcis.2019.09.045>

Kipp, J.E., 2004. The role of solid nanoparticle technology in the parenteral delivery of poorly water-soluble drugs. *Int J Pharm* 284, 109–122.

<https://doi.org/10.1016/j.ijpharm.2004.07.019>

Kirkwood, K., 2018. Using Micronization to Increase Bioavailability of Poorly Soluble Active Pharmaceutical Ingredients. [Using Micronization to Increase Bioavailability of Poorly Soluble Active Pharmaceutical Ingredients](#) [Accessed 31st January 2023).

Knaub, K., Sartorius, T., Dharsono, T., Wacker, R., Wilhelm, M., Schön, C., 2019. A Novel Self-Emulsifying Drug Delivery System (SEDDS) Based on VESIsorb® Formulation Technology Improving the Oral Bioavailability of Cannabidiol in Healthy Subjects. *Molecules* 24, 2967.

<https://doi.org/10.3390/molecules24162967>

Knoll, G., Burger, K.N., Bron, R., van Meer, G., Verkleij, A.J., 1988. Fusion of liposomes with the plasma membrane of epithelial cells: fate of incorporated lipids as followed by freeze fracture and autoradiography of plastic sections. *Journal of Cell Biology* 107, 2511–2521. <https://doi.org/10.1083/jcb.107.6.2511>

Kocher, A., Schiborr, C., Behnam, D., Frank, J., 2015. The oral bioavailability of curcuminoids in healthy humans is markedly enhanced by micellar solubilisation but not further improved by simultaneous ingestion of sesamin, ferulic acid, naringenin and xanthohumol. *Journal of Functional Foods* 14, 183–191.

<https://doi.org/10.1016/j.jff.2015.01.045>

Kocher, A., Bohnert, L., Schiborr, C., Frank, J., 2016. Highly bioavailable micellar curcuminoids accumulate in blood, are safe and do not reduce blood lipids and inflammation markers in moderately hyperlipidemic individuals. *Mol Nutr Food Res* 60, 1555–1563. <https://doi.org/10.1002/mnfr.201501034>

Kossena, G.A., Charman, W.N., Boyd, B.J., Dunstan, D.E., Porter, C.J.H., 2004. Probing drug solubilization patterns in the gastrointestinal tract after administration of lipid-based delivery systems: A phase diagram approach. *JPharmSci* 93, 332–348. <https://doi.org/10.1002/jps.10554> [Abstract only]

Kotake-Nara, E., Nagao, A., 2012. Effects of Mixed Micellar Lipids on Carotenoid Uptake by Human Intestinal Caco-2 Cells. *Bioscience, Biotechnology, and Biochemistry* 76, 875–882. <https://doi.org/10.1271/bbb.110777>

Kreuter, J., 1991. Peroral administration of nanoparticles. *Advanced Drug Delivery Reviews, Gastrointestinal Tract as a Site for Drug Delivery* 7, 71–86.

[https://doi.org/10.1016/0169-409X\(91\)90048-H](https://doi.org/10.1016/0169-409X(91)90048-H)

Kulthe, S.S., Choudhari, Y.M., Inamdar, N.N., Mourya, V., 2012. Polymeric micelles: authoritative aspects for drug delivery. *Designed Monomers and Polymers* 15, 465–521. <https://doi.org/10.1080/1385772X.2012.688328>

Li, G., Zhang, Z., Liu, H., Hu, L., 2021. Nanoemulsion-based delivery approaches for nutraceuticals: fabrication, application, characterization, biological fate, potential toxicity and future trends. *Food Funct.* 12, 1933–1953.

<https://doi.org/10.1039/D0FO02686G> [Abstract only]

Li, H., Zhao, X., Ma, Y., Zhai, G., Li, L., Lou, H., 2009. Enhancement of gastrointestinal absorption of quercetin by solid lipid nanoparticles. *Journal of Controlled Release* 133, 238–244. <https://doi.org/10.1016/j.jconrel.2008.10.002>

Lipolife, Product Analysis (2023). Available at <https://lipolife.co.uk/liposomal-market-analysis/>. Accessed 16th February 2023.

Liu, P., Chen, G., Zhang, J., 2022. A Review of Liposomes as a Drug Delivery System: Current Status of Approved Products, Regulatory Environments, and

Future Perspectives. *Molecules* 27, 1372.

<https://doi.org/10.3390/molecules27041372>

Liu, W., Hou, Y., Jin, Y., Wang, Y., Xu, X., Han, J., 2020. Research progress on liposomes: Application in food, digestion behavior and absorption mechanism. *Trends in Food Science & Technology* 104, 177–189.

<https://doi.org/10.1016/j.tifs.2020.08.012>

Liu, W., Ye, A., Han, F., Han, J., 2019. Advances and challenges in liposome digestion: Surface interaction, biological fate, and GIT modeling. *Advances in Colloid and Interface Science* 263, 52–67.

<https://doi.org/10.1016/j.cis.2018.11.007>

Łukawski, M., Dałek, P., Borowik, T., Foryś, A., Langner, M., Witkiewicz, W., Przybyło, M., 2020. New oral liposomal vitamin C formulation: properties and bioavailability. *J Liposome Res* 30, 227–234.

<https://doi.org/10.1080/08982104.2019.1630642>

Lynch, S.R., Cook, J.D., 1980. Interaction of vitamin C and iron. *Ann N Y Acad Sci* 355, 32–44. <https://doi.org/10.1111/j.1749-6632.1980.tb21325.x>

Madhavi, D., Kagan, D., 2014. Bioavailability of a Sustained Release Formulation of Curcumin. *Integr Med (Encinitas)* 13, 24–30.

Mason, T.G., Wilking, J.N., Meleson, K., Chang, C.B., Graves, S.M., 2006.

Nanoemulsions: formation, structure, and physical properties. *J. Phys.: Condens. Matter* 18, R635. <https://doi.org/10.1088/0953-8984/18/41/R01>

McClements, D.J., 2018. Enhanced delivery of lipophilic bioactives using emulsions: a review of major factors affecting vitamin, nutraceutical, and lipid bioaccessibility. *Food Funct.* 9, 22–41. <https://doi.org/10.1039/C7FO01515A>

McClements, D.J., 2012. Nanoemulsions versus microemulsions: terminology, differences, and similarities. *Soft Matter* 8, 1719–1729.

<https://doi.org/10.1039/C2SM06903B>

McClements, D.J., Li, F., Xiao, H., 2015. The Nutraceutical Bioavailability Classification Scheme: Classifying Nutraceuticals According to Factors Limiting their Oral Bioavailability. *Annual Review of Food Science and Technology* 6, 299–327. <https://doi.org/10.1146/annurev-food-032814-014043>

Millar, S.A., Stone, N.L., Yates, A.S., O’Sullivan, S.E., 2018. A Systematic Review on the Pharmacokinetics of Cannabidiol in Humans. *Frontiers in Pharmacology* 9.

Mintel. 2022. The Future of Vitamins, Minerals, and Supplements 2022. Available at [The-future-of-vitamins-minerals-and-supplements-market-report](#). Accessed 9th May 2023.

Mozaffari, K., Willette, S., Lucker, B.F., Kovar, S.E., Holguin, F.O., Guzman, I., 2021. The Effects of Food on Cannabidiol Bioaccessibility. *Molecules* 26, 3573. <https://doi.org/10.3390/molecules26123573>

Müller, R.H., Mäder, K., Gohla, S., 2000. Solid lipid nanoparticles (SLN) for controlled drug delivery – a review of the state of the art. *European Journal of Pharmaceutics and Biopharmaceutics* 50, 161–177. [https://doi.org/10.1016/S0939-6411\(00\)00087-4](https://doi.org/10.1016/S0939-6411(00)00087-4)

Müller, R.H., Radtke, M., Wissing, S.A., 2002. Nanostructured lipid matrices for improved microencapsulation of drugs. *Int J Pharm* 242, 121–128. [https://doi.org/10.1016/s0378-5173\(02\)00180-1](https://doi.org/10.1016/s0378-5173(02)00180-1)

Müllertz, A., Fatouros, D.G., Smith, J.R., Vertzoni, M., Reppas, C., 2012. Insights into intermediate phases of human intestinal fluids visualized by atomic force microscopy and cryo-transmission electron microscopy ex vivo. *Mol Pharm* 9, 237–247. <https://doi.org/10.1021/mp200286x>

Oh, D.-M., Curl, R.L., Yong, C.-S., Amidon, G.L., 1995. Effect of micronization on the extent of drug absorption from suspensions in humans. *Arch. Pharm. Res.* 18, 427–433. <https://doi.org/10.1007/BF02976347>

Pagano, R.E., Weinstein, J.N., 1978. Interactions of Liposomes with Mammalian Cells. *Annual Review of Biophysics and Bioengineering* 7, 435–468. <https://doi.org/10.1146/annurev.bb.07.060178.002251>

Panda, S.K., Somashekara -, Parachur, V.A., Mohanty, N., Swain, T., Sahu, S., 2019. A Comparative Pharmacokinetic Evaluation of a Bioavailable Curcumin Formulation Curene® with Curcumin Formulation Containing Turmeric Volatile Oil and Standard Curcuminoids 95% in Healthy Human Subjects. *Functional Foods in Health and Disease* 9, 134–144. <https://doi.org/10.31989/ffhd.v9i2.548>

Panda, S.K., Nirvanashetty, S., Missamma, M., Jackson-Michel, S., 2021. The enhanced bioavailability of free curcumin and bioactive-metabolite tetrahydrocurcumin from a dispersible, oleoresin-based turmeric formulation. *Medicine (Baltimore)* 100, e26601. <https://doi.org/10.1097/MD.00000000000026601>

Patrician, A., Versic-Bratincevic, M., Mijacika, T., Banic, I., Marendic, M., Sutlović, D., Dujić, Ž., Ainslie, P.N., 2019. Examination of a New Delivery Approach for Oral Cannabidiol in Healthy Subjects: A Randomized, Double-Blinded, Placebo-Controlled Pharmacokinetics Study. *Adv Ther* 36, 3196–3210.

<https://doi.org/10.1007/s12325-019-01074-6>

Ponchel, G., Montisci, M.-J., Dembri, A., Durrer, C., Duchêne, D., 1997. Mucoadhesion of colloidal particulate systems in the gastro-intestinal tract. *European Journal of Pharmaceutics and Biopharmaceutics* 44, 25–31.

[https://doi.org/10.1016/S0939-6411\(97\)00098-2](https://doi.org/10.1016/S0939-6411(97)00098-2)

Porter, C.J.H., Trevaskis, N.L., Charman, W.N., 2007. Lipids and lipid-based formulations: optimizing the oral delivery of lipophilic drugs. *Nat Rev Drug Discov* 6, 231–248. <https://doi.org/10.1038/nrd2197>

Pouton, C.W., Porter, C.J.H., 2008. Formulation of lipid-based delivery systems for oral administration: materials, methods and strategies. *Adv Drug Deliv Rev* 60, 625–637. <https://doi.org/10.1016/j.addr.2007.10.010>

Purpura, M., Lowery, R.P., Wilson, J.M., Mannan, H., Münch, G., Razmovski-Naumovski, V., 2018. Analysis of different innovative formulations of curcumin for improved relative oral bioavailability in human subjects. *Eur J Nutr* 57, 929–938.

<https://doi.org/10.1007/s00394-016-1376-9>

Qian, C., Decker, E.A., Xiao, H., McClements, D.J., 2012. Nanoemulsion delivery systems: Influence of carrier oil on β -carotene bioaccessibility. *Food Chemistry* 135, 1440–1447. <https://doi.org/10.1016/j.foodchem.2012.06.047>

Sandra, A., Pagano, R., 1979. Liposome-cell interactions. Studies of lipid transfer using isotopically asymmetric vesicles. *The Journal of biological chemistry*.

Sasaki, H., Sunagawa, Y., Takahashi, K., Imaizumi, A., Fukuda, H., Hashimoto, T., Wada, H., Katanasaka, Y., Kakeya, H., Fujita, M., Hasegawa, K., Morimoto, T., 2011. Innovative Preparation of Curcumin for Improved Oral Bioavailability. *Biological and Pharmaceutical Bulletin* 34, 660–665.

<https://doi.org/10.1248/bpb.34.660>

Savjani, K.T., Gajjar, A.K., Savjani, J.K., 2012. Drug Solubility: Importance and Enhancement Techniques. *ISRN Pharm* 2012, 195727.

<https://doi.org/10.5402/2012/195727>

- Schiborr, C., Kocher, A., Behnam, D., Jandasek, J., Toelstede, S., Frank, J., 2014. The oral bioavailability of curcumin from micronized powder and liquid micelles is significantly increased in healthy humans and differs between sexes. *Molecular Nutrition & Food Research* 58, 516–527. <https://doi.org/10.1002/mnfr.201300724>
- Sharma, A., 1997. Liposomes in drug delivery: Progress and limitations. *International Journal of Pharmaceutics* 154, 123–140. [https://doi.org/10.1016/S0378-5173\(97\)00135-X](https://doi.org/10.1016/S0378-5173(97)00135-X)
- Shen, Z., Fisher, A., Liu, W.K., Li, Y., 2018. 1 - PEGylated “stealth” nanoparticles and liposomes, in: Parambath, A. (Ed.), *Engineering of Biomaterials for Drug Delivery Systems*, Woodhead Publishing Series in Biomaterials. Woodhead Publishing, pp. 1–26. <https://doi.org/10.1016/B978-0-08-101750-0.00001-5>
- Shin, G.H., Kim, J.T., Park, H.J., 2015. Recent developments in nanoformulations of lipophilic functional foods. *Trends in Food Science & Technology* 46, 144–157. <https://doi.org/10.1016/j.tifs.2015.07.005>
- Siano, D.B., 1983. The swollen micelle—microemulsion transition. *Journal of Colloid and Interface Science* 93, 1–7. [https://doi.org/10.1016/0021-9797\(83\)90377-6](https://doi.org/10.1016/0021-9797(83)90377-6)
- Silmore, L.H., Willmer, A.R., Capparelli, E.V., Rosania, G.R., 2021. Food effects on the formulation, dosing, and administration of cannabidiol (CBD) in humans: A systematic review of clinical studies. *Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy* 41, 405–420. <https://doi.org/10.1002/phar.2512>
- Singh, Y., Meher, J.G., Raval, K., Khan, F.A., Chaurasia, M., Jain, N.K., Chourasia, M.K., 2017. Nanoemulsion: Concepts, development and applications in drug delivery. *Journal of Controlled Release* 252, 28–49. <https://doi.org/10.1016/j.jconrel.2017.03.008>
- Storka, A., Vcelar, B., Klickovic, U., Gouya, G., Weisshaar, S., Aschauer, S., Bolger, G., Helson, L., Wolzt, M., 2015. Safety, tolerability and pharmacokinetics of liposomal curcumin in healthy humans. *Int J Clin Pharmacol Ther* 53, 54–65. <https://doi.org/10.5414/CP202076>
- Straubinger, R.M., Hong, K., Friend, D.S., Papahadjopoulos, D., 1983. Endocytosis of liposomes and intracellular fate of encapsulated molecules: Encounter with a low pH compartment after internalization in coated vesicles. *Cell* 32, 1069–1079. [https://doi.org/10.1016/0092-8674\(83\)90291-X](https://doi.org/10.1016/0092-8674(83)90291-X) [Abstract only]

- Sun, Y., Xia, Z., Zheng, J., Qiu, P., Zhang, L., McClements, D.J., Xiao, H., 2015. Nanoemulsion-based delivery systems for nutraceuticals: Influence of carrier oil type on bioavailability of pterostilbene. *Journal of Functional Foods* 13, 61–70. <https://doi.org/10.1016/j.jff.2014.12.030>
- Sunagawa, Y., Hirano, S., Katanasaka, Y., Miyazaki, Y., Funamoto, M., Okamura, N., Hojo, Y., Suzuki, H., Doi, O., Yokoji, T., Morimoto, E., Takahashi, T., Ozawa, H., Imaizumi, A., Ueno, M., Kakeya, H., Shimatsu, A., Wada, H., Hasegawa, K., Morimoto, T., 2015. Colloidal Submicron-Particle Curcumin Exhibits High Absorption Efficiency—A Double-Blind, 3-Way Crossover Study—. *Journal of Nutritional Science and Vitaminology* 61, 37–44. <https://doi.org/10.3177/jnsv.61.37>
- Tamjidi, F., Shahedi, M., Varshosaz, J., Nasirpour, A., 2013. Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. *Innovative Food Science & Emerging Technologies* 19, 29–43. <https://doi.org/10.1016/j.ifset.2013.03.002>
- Tan, C., Zhang, Y., Abbas, S., Feng, B., Zhang, X., Xia, S., 2014. Modulation of the carotenoid bioaccessibility through liposomal encapsulation. *Colloids and Surfaces B: Biointerfaces* 123, 692–700. <https://doi.org/10.1016/j.colsurfb.2014.10.011>
- Tanya, M., Hari K.S.L., 2017. Smedds/Snedds: An Emerging Technique to Solubility Enhancement for the Pharmaceutical Industry. *Wjpps* 317–336. <https://doi.org/10.20959/wjpps20177-9493>
- Terao, K., Nakata, D., Fukumi, H., Schmid, G., Arima, H., Hirayama, F., Uekama, K., 2006. Enhancement of oral bioavailability of coenzyme Q10 by complexation with γ -cyclodextrin in healthy adults. *Nutrition Research* 26, 503–508. <https://doi.org/10.1016/j.nutres.2006.08.004>
- Thompson, A., Mozafari, M., Singh, H., 2007. The properties of liposomes produced from milk fat globule membrane material using different techniques. *Dairy Science & Technology* 87, 349–360. <https://doi.org/10.1051/lait:200701>
- Ting, Y., Jiang, Y., Ho, C.-T., Huang, Q., 2014. Common delivery systems for enhancing in vivo bioavailability and biological efficacy of nutraceuticals. *Journal of Functional Foods* 7, 112–128. <https://doi.org/10.1016/j.jff.2013.12.010>
- Tiwari, R., Takhistov, P., 2012. Nanotechnology-Enabled Delivery Systems for Food Functionalization and Fortification, in: *Nanotechnology Research Methods for Foods and Bioproducts*. John Wiley & Sons, Ltd, pp. 55–101.

<https://doi.org/10.1002/9781118229347.ch5> [Abstract only]

Torchilin, V.P., 2007. Micellar Nanocarriers: Pharmaceutical Perspectives. *Pharm Res* 24, 1–16. <https://doi.org/10.1007/s11095-006-9132-0> [Abstract only]

Trevaskis, N.L., Charman, W.N., Porter, C.J.H., 2008. Lipid-based delivery systems and intestinal lymphatic drug transport: a mechanistic update. *Adv Drug Deliv Rev* 60, 702–716. <https://doi.org/10.1016/j.addr.2007.09.007>

Turánek, J., Mašek, J., Raška, M., Ledvina, M., Paulovičová, E., Hubatka, F., Kotouček, J., 2019. 13 - Modification of liposomal surface by polysaccharides: Preparation, characterization, and application for drug targeting, in: Maiti, S., Jana, S. (Eds.), *Functional Polysaccharides for Biomedical Applications*. Woodhead Publishing, pp. 433–467. <https://doi.org/10.1016/B978-0-08-102555-0.00013-3> [Abstract only]

Uekaji, Y., Terao, K., 2019. Bioavailability enhancement of hydrophobic nutraceuticals using γ -cyclodextrin. *J Incl Phenom Macrocycl Chem* 93, 3–15. <https://doi.org/10.1007/s10847-018-0856-3> [Abstract only]

Wang, P., Liu, H.-J., Mei, X.-Y., Nakajima, M., Yin, L.-J., 2012. Preliminary study into the factors modulating β -carotene micelle formation in dispersions using an in vitro digestion model. *Food Hydrocolloids*, 10th International Hydrocolloids Conference 26, 427–433. <https://doi.org/10.1016/j.foodhyd.2010.11.018>

Weiss, J., Decker, E.A., McClements, D.J., Kristbergsson, K., Helgason, T., Awad, T., 2008. Solid Lipid Nanoparticles as Delivery Systems for Bioactive Food Components. *Food Biophysics* 3, 146–154. <https://doi.org/10.1007/s11483-008-9065-8> [Abstract only]

Williams, N.N.B., Ewell, T.R., Abbotts, K.S.S., Harms, K.J., Woelfel, K.A., Dooley, G.P., Weir, T.L., Bell, C., 2021. Comparison of Five Oral Cannabidiol Preparations in Adult Humans: Pharmacokinetics, Body Composition, and Heart Rate Variability. *Pharmaceuticals* 14, 35. <https://doi.org/10.3390/ph14010035>

Xing, L., Tan, Z.-R., Cheng, J.-L., Huang, W.-H., Zhang, W., Deng, W., Yuan, C.-S., Zhou, H.-H., 2017. Bioavailability and pharmacokinetic comparison of tanshinones between two formulations of *Salvia miltiorrhiza* in healthy volunteers. *Sci Rep* 7, 4709. <https://doi.org/10.1038/s41598-017-02747-4>

Xing, M., Yan, F., Yu, S., Shen, P., 2015. Efficacy and Cardiotoxicity of Liposomal Doxorubicin-Based Chemotherapy in Advanced Breast Cancer: A Meta-Analysis of

Ten Randomized Controlled Trials. PLoS One 10, e0133569.

<https://doi.org/10.1371/journal.pone.0133569>

Yáñez, J.A., Wang, S.W.J., Knemeyer, I.W., Wirth, M.A., Alton, K.B., 2011. Intestinal lymphatic transport for drug delivery. *Advanced Drug Delivery Reviews*, Lymphatic drug delivery: therapy, imaging and nanotechnology 63, 923–942.

<https://doi.org/10.1016/j.addr.2011.05.019>

Yeap, Y.Y., Trevaskis, N.L., Porter, C.J.H., 2013. Lipid Absorption Triggers Drug Supersaturation at the Intestinal Unstirred Water Layer and Promotes Drug Absorption from Mixed Micelles. *Pharm Res* 30, 3045–3058.

<https://doi.org/10.1007/s11095-013-1104-6>

Yao, M., Xiao, H., McClements, D.J., 2014. Delivery of lipophilic bioactives: assembly, disassembly, and reassembly of lipid nanoparticles. *Annu Rev Food Sci Technol* 5, 53–81. <https://doi.org/10.1146/annurev-food-072913-100350>

Yuan, H., Chen, J., Du, Y.-Z., Hu, F.-Q., Zeng, S., Zhao, H.-L., 2007. Studies on oral absorption of stearic acid SLN by a novel fluorometric method. *Colloids and Surfaces B: Biointerfaces* 58, 157–164.

<https://doi.org/10.1016/j.colsurfb.2007.03.002>

Zordan-Nudo, T., Ling, V., Liu, Z., Georges, E., 1993. Effects of nonionic detergents on P-glycoprotein drug binding and reversal of multidrug resistance. *Cancer Res* 53, 5994–6000.

Zou, L., Zheng, B., Liu, W., Liu, C., Xiao, H., McClements, D.J., 2015. Enhancing nutraceutical bioavailability using excipient emulsions: Influence of lipid droplet size on solubility and bioaccessibility of powdered curcumin. *Journal of Functional Foods* 15, 72–83. <https://doi.org/10.1016/j.jff.2015.02.044>

Zur Mühlen, A., Mehnert, W., 1998. Drug release and release mechanism of prednisolone loaded Solid Lipid Nanoparticles. *Pharmazie* 53, 552–555.