Abbreviations

In this guide

In this guide

- 1. Background T-2 and HT-2
- 2. Introduction T-2 and HT-2
- 3. Exposure assessment T-2 and HT-2
- 4. <u>Risk characterisation T-2 and HT-2</u>
- 5. Uncertainties and assumptions T-2 and HT-2
- 6. Conclusions T-2 and HT-2
- 7. <u>Questions on which the views of the Committee are sought T-2 and HT-2</u>
- 8. Abbreviations T-2 and HT-2
- 9. <u>References T-2 and HT-2</u>
- 10. <u>Annex 1 to TOX/2025/14</u>
- 11. Annex 2 to TOX/2025/14

This is a paper for discussion. This does not represent the views of the Committee and should not be cited.

- ARfD Acute reference dose
- DAS 4,15- diacetoxyscirpenol
- DNSIYC Diet and Nutrition Survey of Infants and Young Children
- ELISA Enzyme-Linked Immunosorbent Assays
- FPIA Fluorescence Polarisation Immunoassays
- HBGV Health-based guidance value

HT-2	HT-2 toxin
------	------------

- LB Lower bound
- LC-MS Liquid chromatography mass spectrometry
- LFDs Lateral Flow Devices
- LOD Limit of detection
- LOQ Limit of quantification
- Max Maximum
- ML Maximum levels
- NDNS National Diet and Nutrition Survey
- NEO Neosolaniol
- QA Quality assurance
- RTE Ready to eat
- RPC Raw primary commodity
- T-2 T-2 toxin
- TDI Tolerable daily intake
- UB Upper bound

- COT Committee on the Toxicity of Chemicals in Food, Consumer Products and the Environment
- EAT FSA's Exposure assessment team
- EC European Commission
- EFSA European Food Safety Authority
- EU European Union
- FSA Food Standards Agency
- FSS Food Standards Scotland
- JECFA Joint FAO/WHO Expert Committee on Food Additives