

# References - T-2 and HT-2

## In this guide

### [In this guide](#)

1. [Background - T-2 and HT-2](#)
2. [Introduction - T-2 and HT-2](#)
3. [Exposure assessment - T-2 and HT-2](#)
4. [Risk characterisation - T-2 and HT-2](#)
5. [Uncertainties and assumptions - T-2 and HT-2](#)
6. [Conclusions - T-2 and HT-2](#)
7. [Questions on which the views of the Committee are sought - T-2 and HT-2](#)
8. [Abbreviations - T-2 and HT-2](#)
9. [References - T-2 and HT-2](#)
10. [Annex 1 to TOX/2025/14](#)
11. [Annex 2 to TOX/2025/14](#)

**This is a paper for discussion. This does not represent the views of the Committee and should not be cited.**

Bates B.D., Collins K., Jones P., *et al.* (2020) National Diet and Nutrition Survey Results from years 9, 10 and 11 (combined) of the Rolling Programme (2016/2017 to 2018/2019). Survey, London: Public Health England. [NDNS: results from years 9 to 11 \(2016 to 2017 and 2018 to 2019\) - GOV.UK.](#)

Bates B., Lennox A., Prentice A., *et al.* (2014) National Diet and Nutrition Survey: Results from Years 1, 2, 3 and 4 (combined) of the Rolling Programme (2008/2009 – 2011/2012). London: Public Health England. [Main heading.](#)

Bates B., Cox L., Page S., *et al.* (2016) National Diet and Nutrition Survey Results from Years 5 and 6 (combined) of the Rolling Programme (2012/2013 – 2013/2014). London: Public Health England. [Main heading.](#)

COT (2018) Statement of T-2 toxin (T2), HT-2 toxin (HT2) and neosolaniol (NEO) in the diet of infants aged 0 to 12 months and children aged 1 to 5 years.

[cotstatement-t2ht2andneosolaniol.pdf](#).

COT (2021) Statement on the potential risk(s) of combined exposure to mycotoxins. [Combined exposure to mycotoxins report](#).

Croucher D. (2023) United Kingdom Oat Supply in the context of the Food Standards Agency / Food Standards Scotland Call for Data on T-2 and HT-2 Toxins. A Science & Evidence Based Review including additional data on UK Milling Barely. Confidential.

Department of Health (2011) "Diet and Nutrition Survey of Infants and Young Children, 2011." [Diet and nutrition survey of infants and young children, 2011 - GOV.UK](#).

EFSA (2011) Scientific Opinion on the risks for animal and public health related to the presence of T-2 and HT-2 toxin in food and feed. **EFSA Journal** 9(12): 2481 [Scientific Opinion on the risks for animal and public health related to the presence of T-2 and HT-2 toxin in food and feed](#).

EFSA (2017) Human and animal dietary exposure to T-2 and HT-2 toxin. **EFSA Journal** 15(8):4972 [Human and animal dietary exposure to T-2 and HT-2 toxin](#).

EFSA (2025) Food classification standardisation – The FoodEx2 system. [Food classification standardisation – The FoodEx2 system | EFSA](#).

FSA (2015). Retail survey of T-2 and HT-2 toxin levels in oat based products. Executive Summary: [fs102126execsum.pdf](#)

FSA (2023) Call for data: T-2 and HT-2 toxins in food [Call for data: T-2 and HT-2 toxins in food | Food Standards Agency](#).

JECFA (2022) Summary of Conclusions of 93rd meeting of JECFA. [93rd Joint FAO/WHO Expert Committee on Food Additives \(JECFA\) - Food additives. Summary and conclusions. 2022](#).

JECFA (2023) Evaluation of certain contaminants in food: ninety-third report of the Joint FAO/WHO Expert Committee on Food Additives. [Evaluation of certain contaminants in food: ninety-third report of the Joint FAO/WHO Expert Committee on Food Additives](#)

JECFA (2024) Safety evaluation of certain food contaminants: prepared by the ninety-third meeting of the Joint FAO/WHO Expert Committee on Food Additives ( JECFA). Geneva: World Health Organization and Food and Agriculture. [Safety](#)

[evaluation of certain contaminants in food: prepared by the ninety-third meeting of the Joint FAO/WHO Expert Committee on Food Additives \(JECFA\)](#)

Meyer J.C., Birr T., Hennies I., *et al.* (2022) "Reduction of deoxynivalenol, T-2 and HT-2 toxins and associated Fusarium species during commercial and laboratory de-hulling of milling oats." **Food Additives & Contaminants: Part A** **39(6)**: 1163-1183.

Pettersson H. (2008) T-2 and HT-2 toxins in oats and oat products. 5th EC Fusarium-Toxin Forum, Brussels, 10-11 January 2008.

Polišenská I., Jirsa O., Vaculová K., *et al.* (2020) Fusarium Mycotoxins in Two Hulless Oat and Barley Cultivars Used for Food Purposes. *Foods*, 9(8), 1037.

Roberts C., Steer T., Maplethorpe N., *et al.* (2018) National Diet and Nutrition Survey Results from Years 7 and 8 (combined) of the Rolling Programme (2014/2015 to 2015/2016). Survey, London: Public Health England. [National Diet and Nutrition Survey](#).

Safefood (2024) Mycotoxin control in cereals: safeguarding food. Technical Project Report. [Mycotoxin control in cereals: safeguarding human food](#).

Schwake-Anduschus C., Langenkämper G., Unbehend G., *et al.* (2010) Occurrence of Fusarium T-2 and HT-2 toxins in oats from cultivar studies in Germany and degradation of the toxins during grain cleaning treatment and food processing. *Food Additives and Contaminants. Part A, Chemistry, Analysis, Control, Exposure & Risk Assessment* 27: 1253-1260.

SCF (2002) Opinion of the Scientific Committee on Food on Fusarium toxins.

UK Government Data Quality Hub (2020) "The Government Data Quality Framework." [The Government Data Quality Framework - GOV.UK](#).

UK HM Treasury (2015) "The Aqua Book: guidance on producing quality analysis for government." [The Aqua Book: guidance on producing quality analysis for government](#).