

Annex 1 to TOX/2025/14

In this guide

[In this guide](#)

1. [Background - T-2 and HT-2](#)
2. [Introduction - T-2 and HT-2](#)
3. [Exposure assessment - T-2 and HT-2](#)
4. [Risk characterisation - T-2 and HT-2](#)
5. [Uncertainties and assumptions - T-2 and HT-2](#)
6. [Conclusions - T-2 and HT-2](#)
7. [Questions on which the views of the Committee are sought - T-2 and HT-2](#)
8. [Abbreviations - T-2 and HT-2](#)
9. [References - T-2 and HT-2](#)
10. [Annex 1 to TOX/2025/14](#)
11. [Annex 2 to TOX/2025/14](#)

This is a paper for discussion. This does not represent the views of the Committee and should not be cited.

Annex 1 (Sum of T2 and HT2)

Data for the sum of T-2 and HT-2 were only available for infant cereals.

Annex 1A. Chronic exposure to sum of T-2 and HT-2 from RTE products from DNSIYC and NDNS years 1-11 consumption data and occurrence data collected from the FSA call.

Infants (4-18 months) (n=2683)

Food Groups	Count of T2							
	HT2 Data Call Samples (n)	Mean T2 Concentration (µg/kg)	Max T2 Concentration (µg/kg)	Consumers (n)	Mean P97.5		Mean P97.5	
Infants' cereals	2	110.6	219	1128	0.36	1.5	0.71	2.9

Toddlers (1.5-3 years) (n=1157)

Food Groups	Count of T2	Mean T2 Concentration (µg/kg)	Max T2 Concentration (µg/kg)	Consumers (n)	Mean P97.5			
	HT2 Data Call				Samples (n)			
Infants' cereals	2	110.6	219	34	0.22	0.70	0.44	1.4

Exposure estimates have been rounded to 2 significant figures; concentrations have been rounded to one decimal place.

*Mean/Max concentration.

Annex 1B. Acute exposure to sum of T-2 and HT 2 from RTE products from DNSIYC and NDNS years 1-11 consumption data and occurrence data collected from the FSA call.

Infants (4-18 months) (n=2683)

Food Groups	Count of T2		Mean T2 Concentration (µg/kg)	Consumers (n)	Mean P97.5 Mean P97.5			
	HT2 data call samples (n)							
Infants' cereals	2		219	1128	0.71	2.6	1.4	5.2

Toddlers (1.5-3 years) (n=1157)

Food Groups	Count of T2		Mean T2 Concentration (µg/kg)	Consumers (n)	Mean P97.5 Mean P97.5			
	HT2 data call samples (n)							
Infants' cereals	2		219	1128	0.52	1.3	1.0	2.6

Exposure estimates have been rounded to 2 significant figures; concentrations have been rounded to one decimal place.

*Mean/Max concentration.