

Table 15

In this guide

[In this guide](#)

1. [Supplementary information - Annex B to TOX/2025/26](#)
2. [Table 1 - Annex B to TOX/2025/26](#)
3. [Table 2 - Annex B to TOX/2025/26](#)
4. [Table 3 - Annex B to TOX/2025/26](#)
5. [Table 4 - Annex B to TOX/2025/26](#)
6. [Table 5 - Annex B to TOX/2025/26](#)
7. [Table 6 - Annex B to TOX/2025/26](#)
8. [Table 7 - Annex B to TOX/2025/26](#)
9. [Table 8 - Annex B to TOX/2025/26](#)
10. [Table 9 - Annex B to TOX/2025/26](#)
11. [Table 10 - Annex B to TOX/2025/26](#)
12. [Table 11 - Annex B to TOX/2025/26](#)
13. [Table 12 - Annex B to TOX/2025/26](#)
14. [Table 13 - Annex B to TOX/2025/26](#)
15. [Table 14 - Annex B to TOX/2025/26](#)
16. [Table 15 - Annex B to TOX/2025/26](#)
17. [Table 16 - Annex B to TOX/2025/26](#)

This is a paper for discussion. This does not represent the views of the Committee and should not be cited.

Table 15: Chronic exposure

Chronic exposure to HT-2 from RTE products from DNSIYC and NDNS years 1-11 consumption data and occurrence data collected from the FSA call.

Infants (4-18 months) (n=2683)

Food groups	Count of HT-2 data call samples (n)	HT-2 concentration µg/kg (mean)	HT-2 concentration µg/kg (max)	Consumers (n)	*Mean; Mean	*Mean; P97.5	*Max; Mean
Plain muesli	3	17.3	39	91	0.0013	0.0044	0.0029
Biscuits, oatmeal	4	14.6	24.3	1441	0.010	0.034	0.017
Multigrain bread rolls	2	6.9	7	98	0.0059	0.018	0.0060
Wheat bread rolls	2	6.3	6.3	435	0.010	0.036	0.010
Dried pasta	4	6.3	6.3	1140	0.011	0.040	0.011
Mixed breakfast cereals	3	8.6	11.2	1691	0.016	0.062	0.021
Oat porridge	23	20.1	95.7	389	0.057	0.28	0.27
Infants' cereals	2	217.5	219	1128	0.70	2.9	0.71

Plain cereal bars	2	14.5	18.2	5	0.0093	0.014	0.012
Puffs/ curls type extruded snack	1	5.2	5.2	630	0.0023	0.0072	0.0023

Toddlers (1.5-3 years) (n=1157)

Food groups	Count of HT-2 data call samples (n)	HT-2 concentration µg/kg (mean)	HT-2 concentration µg/kg (max)	Consumers (n)	*Mean; Mean	*Mean; P97.5	*Max; Mean
Plain muesli	3	17.3	39	14	0.018	0.033	0.041
Biscuits, oatmeal	4	14.6	24.3	566	0.010	0.032	0.017
Multigrain bread rolls	2	6.9	7	75	0.012	0.041	0.012
Wheat bread rolls	2	6.3	6.3	125	0.013	0.044	0.013
Dried pasta	4	6.3	6.3	602	0.011	0.033	0.011

Mixed breakfast cereals	3	8.6	11.2	983	0.013	0.056	0.017
Oat porridge	23	20.1	95.7	70	0.065	0.24	0.31
Infants' cereals	2	217.5	219	34	0.44	1.4	0.44
Plain cereal bars	2	14.5	18.2	24	0.0077	0.016	0.0097
Puffs/ curls type extruded snack	1	5.2	5.2	387	0.0023	0.0057	0.0023

Adults (19-64 years) (n=5094)

Food groups	Count of HT-2 data call samples (n)	HT-2 concentration $\mu\text{g/kg}$ (mean)	HT-2 concentration $\mu\text{g/kg}$ (max)	Consumers (n)	*Mean; Mean	*Mean; P97.5	*Max; Mean
Plain muesli	3	17.3	39	211	0.0065	0.021	0.015
Biscuits, oatmeal	4	14.6	24.3	1472	0.0030	0.010	0.0049

Multigrain bread rolls	2	6.9	7	530	0.0041	0.011	0.0041
Wheat bread rolls	2	6.3	6.3	293	0.0034	0.011	0.0034
Dried pasta	4	6.3	6.3	1677	0.0055	0.015	0.0055
Mixed breakfast cereals	3	8.6	11.2	2935	0.0036	0.013	0.0047
Oat porridge	23	20.1	95.7	222	0.021	0.061	0.10
Infants' cereals	2	217.5	219	2	0.032	0.042	0.032
Plain cereal bars	2	14.5	18.2	135	0.0024	0.0077	0.0030
Puffs/ curls type extruded snack	1	5.2	5.2	673	0.00064	0.0020	0.00064

Adult Vegetarians / Vegans (19-64 years) (n=170)

Food groups	Count of HT-2 data call samples (n)	HT-2 concentration µg/kg (mean)	HT-2 concentration µg/kg (max)	Consumers (n)	*Mean; Mean	*Mean; P97.5	*Max; Mean
Plain muesli	3	17.3	39	11	0.0067	0.014	0.015
Biscuits, oatmeal	4	14.6	24.3	55	0.0030	0.0070	0.0051
Multigrain bread rolls	2	6.9	7	33	0.0044	0.010	0.0045
Wheat bread rolls	2	6.3	6.3	10	0.0026	0.0067	0.0026
Dried pasta	4	6.3	6.3	64	0.0071	0.021	0.0071
Mixed breakfast cereals	3	8.6	11.2	98	0.0039	0.010	0.0051
Oat porridge	23	20.1	95.7	6	0.028	0.090	0.13
Infants' cereals	2	217.5	219	0	0	0	0

Plain cereal bars	2	14.5	18.2	2	0.0037	0.0039	0.0047
Puffs/ curls type extruded snack	1	5.2	5.2	22	0.00073	0.0011	0.00073

Exposure estimates have been rounded to 2 significant figures, concentrations have been rounded to one decimal place.

*Mean/Max concentration.