

Table 16

In this guide

[In this guide](#)

1. [Supplementary information - Annex B to TOX/2025/26](#)
2. [Table 1 - Annex B to TOX/2025/26](#)
3. [Table 2 - Annex B to TOX/2025/26](#)
4. [Table 3 - Annex B to TOX/2025/26](#)
5. [Table 4 - Annex B to TOX/2025/26](#)
6. [Table 5 - Annex B to TOX/2025/26](#)
7. [Table 6 - Annex B to TOX/2025/26](#)
8. [Table 7 - Annex B to TOX/2025/26](#)
9. [Table 8 - Annex B to TOX/2025/26](#)
10. [Table 9 - Annex B to TOX/2025/26](#)
11. [Table 10 - Annex B to TOX/2025/26](#)
12. [Table 11 - Annex B to TOX/2025/26](#)
13. [Table 12 - Annex B to TOX/2025/26](#)
14. [Table 13 - Annex B to TOX/2025/26](#)
15. [Table 14 - Annex B to TOX/2025/26](#)
16. [Table 15 - Annex B to TOX/2025/26](#)
17. [Table 16 - Annex B to TOX/2025/26](#)

This is a paper for discussion. This does not represent the views of the Committee and should not be cited.

Table 16: Acute exposure

Acute exposure to HT-2 from RTE products from DNSIYC and NDNS years 1-11 consumption data and occurrence data collected from the FSA call.

Infants (4-18 months) (n=2683)

Food groups	Count of HT-2 data call samples (n)	HT-2 concentration µg/kg (mean)	HT-2 concentration µg/kg (max)	Consumers (n)	*Mean; Mean	*Mean; P97.5	*Max; Mean
Plain muesli	3	17.3	39	91	0.0031	0.011	0.0070
Biscuits, oatmeal	4	14.6	24.3	1441	0.023	0.064	0.039
Multigrain bread rolls	2	6.9	7	98	0.017	0.041	0.017
Wheat bread rolls	2	6.3	6.3	435	0.023	0.066	0.023
Dried pasta	4	6.3	6.3	1140	0.036	0.11	0.036
Mixed breakfast cereals	3	8.6	11.2	1691	0.029	0.14	0.038
Oat porridge	23	20.1	95.7	389	0.13	0.46	0.61
Infants' cereals	2	217.5	219	1128	1.4	5.2	1.4

Plain cereal bars	2	14.5	18.2	5	0.028	0.052	0.035
Puffs/ curls type extruded snack	1	5.2	5.2	630	0.0060	0.015	0.0060

Toddlers (1.5-3 years) (n=1157)

Food groups	Count of HT-2 data call samples (n)	HT-2 concentration $\mu\text{g/kg}$ (mean)	HT-2 concentration $\mu\text{g/kg}$ (max)	Consumers (n)	*Mean; Mean	*Mean; P97.5	*Max; Mean
Plain muesli	3	17.3	39	14	0.040	0.082	0.090
Biscuits, oatmeal	4	14.6	24.3	566	0.027	0.067	0.045
Multigrain bread rolls	2	6.9	7	75	0.027	0.071	0.028
Wheat bread rolls	2	6.3	6.3	125	0.029	0.071	0.029
Dried pasta	4	6.3	6.3	602	0.035	0.094	0.035

Mixed breakfast cereals	3	8.6	11.2	983	0.024	0.098	0.031
Oat porridge	23	20.1	95.7	70	0.19	0.47	0.91
Infants' cereals	2	217.5	219	34	1.0	2.6	1.0
Plain cereal bars	2	14.5	18.2	24	0.026	0.057	0.033
Puffs/ curls type extruded snack	1	5.2	5.2	387	0.0061	0.014	0.0061

Adults (19-64 years) (n=5094)

Food groups	Count of HT-2 data call samples (n)	HT-2 concentration $\mu\text{g/kg}$ (mean)	HT-2 concentration $\mu\text{g/kg}$ (max)	Consumers (n)	*Mean; Mean	*Mean; P97.5	*Max; *Mean
Plain muesli	3	17.3	39	211	0.012	0.030	0.027
Biscuits, oatmeal	4	14.6	24.3	1472	0.0079	0.024	0.013

Multigrain bread rolls	2	6.9	7	530	0.0088	0.022	0.0090	0
Wheat bread rolls	2	6.3	6.3	293	0.0081	0.019	0.0081	0
Dried pasta	4	6.3	6.3	1677	0.018	0.038	0.018	0
Mixed breakfast cereals	3	8.6	11.2	2935	0.0065	0.023	0.0085	0
Oat porridge	23	20.1	95.7	222	0.045	0.087	0.21	0
Infants' cereals	2	217.5	219	2	0.13	0.17	0.13	0
Plain cereal bars	2	14.5	18.2	135	0.0062	0.020	0.0078	0
Puffs/ curls type extruded snack	1	5.2	5.2	673	0.0018	0.0050	0.0018	0

Adult Vegetarians / Vegans (19-64 years) (n=170)

Food groups	Count of HT-2 data call samples (n)	HT-2 concentration µg/kg (mean)	HT-2 concentration µg/kg (max)	Consumers (n)	*Mean; Mean	*Mean; P97.5	*Max; Mean
Plain muesli	3	17.3	39	11	0.015	0.024	0.033
Biscuits, oatmeal	4	14.6	24.3	55	0.0089	0.019	0.014
Multigrain bread rolls	2	6.9	7	33	0.0087	0.015	0.0089
Wheat bread rolls	2	6.3	6.3	10	0.0079	0.019	0.0079
Dried pasta	4	6.3	6.3	64	0.020	0.042	0.020
Mixed breakfast cereals	3	8.6	11.2	98	0.0077	0.026	0.010
Oat porridge	23	20.1	95.7	6	0.067	0.18	0.32
Infants' cereals	2	217.5	219	0	0	0	0

Plain cereal bars	2	14.5	18.2	2	0.0099	0.013	0.012
Puffs/ curls type extruded snack	1	5.2	5.2	22	0.0021	0.0040	0.0021

Exposure estimates have been rounded to 2 significant figures; concentrations have been rounded to one decimal place.

*Mean/Max concentration.