

Draft EFSA Scientific Opinion on the evaluation of the safety of preparations from the fruits of sweet and bitter fennel (*Foeniculum vulgare* Mill. and *Foeniculum piperitum* (Ucria) C.Presl)

Abbreviations

In this guide

[In this guide](#)

1. [Introduction and Background - EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)
2. [EFSA Draft Opinion - EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)
3. [ADME of estragole \(Section 3.3\) - EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)
4. [ADME of other p-allylalkoxybenzenes \(Section 3.4\) - EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)
5. [DNA and protein adduct formation \(Section 3.5\) - EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)
6. [Hazard characterisation \(Section 3.6\) - EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)
7. [Exposure assessment \(Section 3.7\) - EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)
8. [Risk characterisation and Conclusions \(Sections 3.8 and 5\) - EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)
9. [Uncertainties \(Section 4\) EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)
10. [Questions for the Committee - EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)
11. [Abbreviations - EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)
12. [References - EFSA Opinion on safety of preparations from fruits of sweet and bitter fennel](#)

This is a paper for discussion. This does not represent the views of the Committee and should not be cited.

Acronym Definition

ADI	Acceptable daily intake
ADME	Absorption, Distribution, Metabolism and Excretion
AMPAC	N-acetyl-S-[3'-(4-methoxyphenyl)allyl]-L-cysteine
BfR	German Federal Institute for Risk Assessment
BMD	Benchmark dose
BMDL10	Lower confidence limit for a benchmark response of 10%
COT	Committee on Toxicity of Chemicals in Food, Consumer Products and the Environment
CYP450	Cytochrome P450
DNA	Deoxyribonucleic acid
EC	European Commission
EFSA	European Food Safety Authority
EMA	European Medicines Agency
EU	European Union
HMPC	Committee on Herbal Medicinal Products

MoE	Margin of exposure
NDA	Panel on Nutrition, Novel Foods and Food Allergens
NTP	National Toxicology Programme
P90	90th percentile
P95	95th percentile
PBBD	Physiologically based biodynamic
PBBK	Physiologically based biokinetic
sQ	Subquestion
SULT	Sulfotransferase