

References

In this guide

In this guide

1. [Introduction, Background and Literature Search - PFAS/2023/06](#)
2. [In vivo liver toxicity studies - PFAS/2023/06](#)
3. [Endpoints Investigated and Summary of Results - PFAS/2023/06](#)
4. [Liver Weight - PFAS/2023/06](#)
5. [Clinical chemistry- PFAS/2023/06](#)
6. [Liver histopathology - PFAS/2023/06](#)
7. [Effects on gene expression - PFAS/2023/06](#)
8. [Serum/plasma PFAS levels - PFAS/2023/06](#)
9. [Discussion - PFAS/2023/06](#)
10. [Table 1 Lowest POD for PFAS based on liver effects - PFCAs](#)
11. [Table 2 Lowest POD for PFAS based on liver effects - PFSAs](#)
12. [Questions on which the views of the Committee are sought - PFAS/2023/06](#)
13. [List of Abbreviations - PFAS/2023/06](#)
14. [References - PFAS/2023/06](#)

This is a paper for discussion. This does not represent the views of the Committee and should not be cited.

Adinehzadeh, M., Reo, N. V., Jarnot, B. M., Taylor, C. A., & Mattie, D. R. (1999). Dose-response hepatotoxicity of the peroxisome proliferator, perfluorodecanoic acid and the relationship to phospholipid metabolism in rats [Article]. *Toxicology*, 134(2-3), 179-195. [https://doi.org/10.1016/S0300-483X\(99\)00038-4](https://doi.org/10.1016/S0300-483X(99)00038-4)

ATSDR. (2021). Toxicological Profile for Perfluoroalkyls.

Bagley, B. D., Chang, S. C., Ehresman, D. J., Eveland, A., Zitzow, J. D., Parker, G. A., Peters, J. M., Wallace, K. B., & Butenhoff, J. L. (2017). Perfluorooctane sulfonate-induced hepatic steatosis in male sprague dawley rats is not attenuated by dietary choline supplementation [Article]. *Toxicological Sciences*, 160(2), 284-

298. <https://doi.org/10.1093/toxsci/kfx185>

Bijland, S., Rensen, P. C. N., Pieterman, E. J., Maas, A. C. E., van der Hoorn, J. W., van Erk, M. J., Havekes, L. M., van Dijk, K. W., Chang, S. C., Ehresman, D. J., Butenhoff, J. L., & Princen, H. M. G. (2011). Perfluoroalkyl sulfonates cause alkyl chain length-dependent hepatic steatosis and hypolipidemia mainly by impairing lipoprotein production in APOE*3-leiden CETP mice [Article]. *Toxicological Sciences*, 123(1), 290-303. <https://doi.org/10.1093/toxsci/kfr142>

Botelho, S. C., Saghafian, M., Pavlova, S., Hassan, M., DePierre, J. W., & Abedi-Valugerdi, M. (2015). Complement activation is involved in the hepatic injury caused by high-dose exposure of mice to perfluorooctanoic acid. *Chemosphere*, 129, 225-231. <https://doi.org/10.1016/j.chemosphere.2014.06.093>

Butenhoff, J., Costa, G., Elcombe, C., Farrar, D., Hansen, K., Iwai, H., Jung, R., Kennedy, G., Jr., Lieder, P., Olsen, G., & Thomford, P. (2002). Toxicity of ammonium perfluorooctanoate in male cynomolgus monkeys after oral dosing for 6 months. *Toxicol Sci*, 69(1), 244-257. <https://doi.org/10.1093/toxsci/69.1.244>

Butenhoff, J. L., Bjork, J. A., Chang, S. C., Ehresman, D. J., Parker, G. A., Das, K., Lau, C., Lieder, P. H., van Otterdijk, F. M., & Wallace, K. B. (2012a). Toxicological evaluation of ammonium perfluorobutyrate in rats: Twenty-eight-day and ninety-day oral gavage studies [Article]. *Reproductive Toxicology*, 33(4), 513-530. <https://doi.org/10.1016/j.reprotox.2011.08.004>

Butenhoff, J. L., Chang, S. C., Ehresman, D. J., & York, R. G. (2009). Evaluation of potential reproductive and developmental toxicity of potassium perfluorohexanesulfonate in Sprague Dawley rats [Article]. *Reproductive Toxicology*, 27(3-4), 331-341. <https://doi.org/10.1016/j.reprotox.2009.01.004>

Butenhoff, J. L., Chang, S. C., Olsen, G. W., & Thomford, P. J. (2012b). Chronic dietary toxicity and carcinogenicity study with potassium perfluorooctanesulfonate in Sprague Dawley rats [Article]. *Toxicology*, 293(1-3), 1-15. <https://doi.org/10.1016/j.tox.2012.01.003>

Chang, S., Allen, B. C., Andres, K. L., Ehresman, D. J., Falvo, R., Provencher, A., Olsen, G. W., & Butenhoff, J. L. (2017). Evaluation of serum lipid, thyroid, and hepatic clinical chemistries in association with serum perfluorooctanesulfonate (PFOS) in cynomolgus monkeys after oral dosing with potassium PFOS [Article]. *Toxicological Sciences*, 156(2), 387-401, Article kfw267.

<https://doi.org/10.1093/toxsci/kfw267>

Chang, S., Butenhoff, J. L., Parker, G. A., Coder, P. S., Zitzow, J. D., Krisko, R. M., Bjork, J. A., Wallace, K. B., & Seed, J. G. (2018). Reproductive and developmental toxicity of potassium perfluorohexanesulfonate in CD-1 mice [Article]. *Reproductive Toxicology*, 78, 150-168.
<https://doi.org/10.1016/j.reprotox.2018.04.007>

Chen, L., Liu, Y., Mu, H., Li, H., Liu, S., Zhu, M., Bu, Y., & Wu, B. (2022). Effects of perfluorobutane sulfonate and perfluoroctane sulfonate on lipid homeostasis in mouse liver [Article]. *Environmental Pollution*, 315, Article 120403.

<https://doi.org/10.1016/j.envpol.2022.120403>

Cheng, X., & Klaassen, C. D. (2008). Perfluorocarboxylic acids induce cytochrome P450 enzymes in mouse liver through activation of PPAR-alpha and CAR transcription factors. *Toxicol Sci*, 106(1), 29-36.

<https://doi.org/10.1093/toxsci/kfn147>

Chengelis, C. P., Kirkpatrick, J. B., Radovsky, A., & Shinohara, M. (2009). A 90-day repeated dose oral (gavage) toxicity study of perfluorohexanoic acid (PFHxA) in rats (with functional observational battery and motor activity determinations) [Article]. *Reproductive Toxicology*, 27(3-4), 342-351.

<https://doi.org/10.1016/j.reprotox.2009.01.006>

Das, K. P., Grey, B. E., Zehr, R. D., Wood, C. R., Butenhoff, J. I., Chang, S. C., Ehresman, D. J., Tan, Y. M., & Lau, C. (2008). Effects of perfluorobutyrate exposure during pregnancy in the mouse [Article]. *Toxicological Sciences*, 105(1), 173-181. <https://doi.org/10.1093/toxsci/kfn099>

Das, K. P., Wood, C. R., Lin, M. J., Starkov, A. A., Lau, C., Wallace, K. B., Corton, J. C., & Abbott, B. D. (2017). Perfluoroalkyl acids-induced liver steatosis: Effects on genes controlling lipid homeostasis [Article]. *Toxicology*, 378, 37-52.

<https://doi.org/10.1016/j.tox.2016.12.007>

EFSA. (2012). Guidance on selected default values to be used by the EFSA Scientific Committee, Scientific Panels and Units in the absence of actual measured data. *EFSA Journal*, 10(30), 2579.

<https://doi.org/https://doi.org/10.2903/j.efsa.2012.2579>

EFSA. (2018). Risk to human health related to the presence of perfluoroctane sulfonic acid and perfluoroctanoic acid in food. *EFSA Journal*, 16(12), 5194.

<https://doi.org/https://doi.org/10.2903/j.efsa.2018.5194>

EFSA. (2020). Risk to human health related to the presence of perfluoroalkyl substances in food. EFSA Journal, 18(9), 6223.

<https://doi.org/https://doi.org/10.2903/j.efsa.2020.6223>

Elcombe, C. R., Elcombe, B. M., Foster, J. R., Chang, S. C., Ehresman, D. J., Noker, P. E., & Butenhoff, J. L. (2012). Evaluation of hepatic and thyroid responses in male Sprague Dawley rats for up to eighty-four days following seven days of dietary exposure to potassium perfluorooctanesulfonate [Article]. Toxicology, 293(1-3), 30-40. <https://doi.org/10.1016/j.tox.2011.12.015>

Elcombe, C. R., Elcombe, B. M., Foster, J. R., Farrar, D. G., Jung, R., Chang, S. C., Kennedy, G. L., & Butenhoff, J. L. (2010). Hepatocellular hypertrophy and cell proliferation in Sprague-Dawley rats following dietary exposure to ammonium perfluorooctanoate occurs through increased activation of the xenosensor nuclear receptors PPAR α and CAR/PXR [Article]. Archives of Toxicology, 84(10), 787-798. <https://doi.org/10.1007/s00204-010-0572-2>

Fang, X., Gao, G., Xue, H., Zhang, X., & Wang, H. (2012). Exposure of perfluorononanoic acid suppresses the hepatic insulin signal pathway and increases serum glucose in rats [Article]. Toxicology, 294(2-3), 109-115.

<https://doi.org/10.1016/j.tox.2012.02.008>

Foreman, J. E., Chang, S. C., Ehresman, D. J., Butenhoff, J. L., Anderson, C. R., Palkar, P. S., Kang, B. H., Gonzalez, F. J., & Peters, J. M. (2009). Differential hepatic effects of perfluorobutyrate mediated by mouse and human PPAR- α [Article]. Toxicological Sciences, 110(1), 204-211. <https://doi.org/10.1093/toxsci/kfp077>

Frawley, R. P., Smith, M., Cesta, M. F., Hayes-Bouknight, S., Blystone, C., Kissling, G. E., Harris, S., & Germolec, D. (2018). Immunotoxic and hepatotoxic effects of perfluoro-n-decanoic acid (PFDA) on female Harlan Sprague-Dawley rats and B6C3F1/N mice when administered by oral gavage for 28 days [Article]. Journal of Immunotoxicology, 15(1), 41-52.

<https://doi.org/10.1080/1547691X.2018.1445145>

Guo, H., Wang, J., Yao, J., Sun, S., Sheng, N., Zhang, X., Guo, X., Guo, Y., Sun, Y., & Dai, J. (2019). Comparative Hepatotoxicity of Novel PFOA Alternatives (Perfluoropolyether Carboxylic Acids) on Male Mice. Environ Sci Technol, 53(7), 3929-3937. <https://doi.org/10.1021/acs.est.9b00148>

Guruge, K. S., Yeung, L. W., Yamanaka, N., Miyazaki, S., Lam, P. K., Giesy, J. P., Jones, P. D., & Yamashita, N. (2006). Gene expression profiles in rat liver treated with perfluorooctanoic acid (PFOA). Toxicol Sci, 89(1), 93-107.

<https://doi.org/10.1093/toxsci/kfj011>

Hadrup, N., Pedersen, M., Skov, K., Hansen, N. L., Berthelsen, L. O., Kongsbak, K., Boberg, J., Dybdahl, M., Hass, U., Frandsen, H., & Vinggaard, A. M. (2016). Perfluororonanoic acid in combination with 14 chemicals exerts low-dose mixture effects in rats [Article]. *Archives of Toxicology*, 90(3), 661-675.

<https://doi.org/10.1007/s00204-015-1452-6>

Han, R., Hu, M., Zhong, Q., Wan, C., Liu, L., Li, F., Zhang, F., & Ding, W. (2018a). Perfluorooctane sulphonate induces oxidative hepatic damage via mitochondria-dependent and NF-kappaB/TNF-alpha-mediated pathway. *Chemosphere*, 191, 1056-1064. <https://doi.org/10.1016/j.chemosphere.2017.08.070>

Han, R., Zhang, F., Wan, C., Liu, L., Zhong, Q., & Ding, W. (2018b). Effect of perfluorooctane sulphonate-induced Kupffer cell activation on hepatocyte proliferation through the NF-κB/TNF-α/IL-6-dependent pathway. *Chemosphere*, 200, 283-294. <https://doi.org/10.1016/j.chemosphere.2018.02.137>

He, X., Jiang, J., & Zhang, X. X. (2022). Environmental exposure to low-dose perfluorohexanesulfonate promotes obesity and non-alcoholic fatty liver disease in mice fed a high-fat diet [Article]. *Environmental Science and Pollution Research*, 29(32), 49279-49290. <https://doi.org/10.1007/s11356-022-19369-7>

Hirata-Koizumi, M., Fujii, S., Furukawa, M., Ono, A., & Hirose, A. (2012). Repeated dose and reproductive/developmental toxicity of perfluorooctadecanoic acid in rats [Article]. *Journal of Toxicological Sciences*, 37(1), 63-79.

<https://doi.org/10.2131/jts.37.63>

Hirata-Koizumi, M., Fujii, S., Hina, K., Matsumoto, M., Takahashi, M., Ono, A., & Hirose, A. (2015). Repeated dose and reproductive/developmental toxicity of long-chain perfluoroalkyl carboxylic acids in rats: perfluorohexadecanoicacid and perfluorotetradecanoic acid. . *Fundam Tox Sci*, 2, 177-190.

Hirata-Koizumi, M., Fujii S, Hina K, Matsumoto M, Takahashi M, Ono A and Hirose A. (2015). Repeated dose and reproductive/developmental toxicity of long-chain perfluoroalkyl carboxylic acids in rats: perfluorohexadecanoic acid and perfluorotetradecanoic acid. . *Fundamental Toxicological Sciences*, 2, , 177-190.

Huck, I., Beggs, K., & Apte, U. (2018). Paradoxical Protective Effect of Perfluorooctanesulfonic Acid Against High-Fat Diet-Induced Hepatic Steatosis in Mice [Article]. *International Journal of Toxicology*, 37(5), 383-392.

<https://doi.org/10.1177/1091581818790934>

Kato, H., Fujii, S., Takahashi, M., Matsumoto, M., Hirata-Koizumi, M., Ono, A., & Hirose, A. (2014). Repeated dose and reproductive/developmental toxicity of perfluorododecanoic acid in rats [Article]. *Environmental Toxicology*, 30(11), 1244-1263. <https://doi.org/10.1002/tox.21996>

Kawashima, Y., Kobayashi, H., Miura, H., & Kozuka, H. (1995). Characterization of hepatic responses of rat to administration of perfluoroctanoic and perfluorodecanoic acids at low levels [Article]. *Toxicology*, 99(3), 169-178. [https://doi.org/10.1016/0300-483X\(95\)03027-D](https://doi.org/10.1016/0300-483X(95)03027-D)

Kennedy Jr, G. L. (1987). Increase in mouse liver weight following feeding of ammonium perfluoroctanoate and related fluorochemicals [Article]. *Toxicology Letters*, 39(2-3), 295-300. [https://doi.org/10.1016/0378-4274\(87\)90245-1](https://doi.org/10.1016/0378-4274(87)90245-1)

Kim, H. S., Kwack, S. J., Han, E. S., Kang, T. S., Kim, S. H., & Han, S. Y. (2011). Induction of apoptosis and CYP4A1 expression in Sprague-Dawley rats exposed to low doses of perfluoroctane sulfonate [Article]. *Journal of Toxicological Sciences*, 36(2), 201-210. <https://doi.org/10.2131/jts.36.201>

Klimisch, H. J., Andreae, M., & Tillmann, U. (1997). A systematic approach for evaluating the quality of experimental toxicological and ecotoxicological data. *Regul Toxicol Pharmacol*, 25(1), 1-5. <https://doi.org/10.1006/rtpb.1996.1076>

Li, X., Wang, Z., & Klaunig, J. E. (2019). The effects of perfluoroctanoate on high fat diet induced non-alcoholic fatty liver disease in mice [Article]. *Toxicology*, 416, 1-14. <https://doi.org/10.1016/j.tox.2019.01.017>

Lieder, P. H., Chang, S. C., York, R. G., & Butenhoff, J. L. (2009a). Toxicological evaluation of potassium perfluorobutanesulfonate in a 90-day oral gavage study with Sprague-Dawley rats [Article]. *Toxicology*, 255(1-2), 45-52. <https://doi.org/10.1016/j.tox.2008.10.002>

Lieder, P. H., York, R. G., Hakes, D. C., Chang, S. C., & Butenhoff, J. L. (2009b). A two-generation oral gavage reproduction study with potassium perfluorobutanesulfonate (K+PFBS) in Sprague Dawley rats [Article]. *Toxicology*, 259(1-2), 33-45. <https://doi.org/10.1016/j.tox.2009.01.027>

Loveless, S. E., Slezak, B., Serex, T., Lewis, J., Mukerji, P., O'Connor, J. C., Donner, E. M., Frame, S. R., Korzeniowski, S. H., & Buck, R. C. (2009). Toxicological evaluation of sodium perfluorohexanoate [Article]. *Toxicology*, 264(1-2), 32-44. <https://doi.org/10.1016/j.tox.2009.07.011>

NICNAS. (2005). Potassium perfluorobutanesulfonate: Hazard assessment.

[Potassium perfluorobutane sulfonate.pdf](#)

NTP. (2022a). NTP technical report on the toxicity studies of perfluoroalkyl sulfonates(perfluorobutane sulfonic acid, perfluorohexane sulfonate potassium salt, and perfluorooctane sulfonic acid)administered by gavage to sprague dawley (Hsd:Sprague Dawley SD) rats. [Home - National Toxicology Program](#)

NTP. (2022b). NTP technical report on the toxicity studies of perfluoroalkylcarboxylates (perfluorohexanoic acid, perfluorooctanoic acid, perfluorononanoic acid, and perfluorodecanoicacid) administered by gavage to sprague dawley (Hsd:Sprague Dawley SD) rats. [Home - National Toxicology Program](#)

Qazi, M. R., Abedi, M. R., Nelson, B. D., DePierre, J. W., & Abedi-Valugerdi, M. (2010a). Dietary exposure to perfluorooctanoate or perfluorooctane sulfonate induces hypertrophy in centrilobular hepatocytes and alters the hepatic immune status in mice [Article]. International Immunopharmacology, 10(11), 1420-1427. <https://doi.org/10.1016/j.intimp.2010.08.009>

Qazi, M. R., Nelson, B. D., DePierre, J. W., & Abedi-Valugerdi, M. (2010b). 28-Day dietary exposure of mice to a low total dose (7 mg/kg) of perfluorooctanesulfonate (PFOS) alters neither the cellular compositions of the thymus and spleen nor humoral immune responses: Does the route of administration play a pivotal role in PFOS-induced immunotoxicity? [Article]. Toxicology, 267(1-3), 132-139. <https://doi.org/10.1016/j.tox.2009.10.035>

Seacat, A. M., Thomford, P. J., Hansen, K. J., Olsen, G. W., Case, M. T., & Butenhoff, J. L. (2002). Subchronic toxicity studies on perfluorooctanesulfonate potassium salt in cynomolgus monkeys [Article]. Toxicological Sciences, 68(1), 249-264. <https://doi.org/10.1093/toxsci/68.1.249>

Soltani, M., Pourfarzam, M., Sharifabad, A. H., Neisiani, A. K., Mousavi, M. K., & Aliomrani, M. (2023). Effect of pretreatment with a probiotic on Perfluorooctanoic acid-induced liver damage after sub-acute oral exposure in C57BL/6J mice [Article]. Toxicology and Applied Pharmacology, 459, Article 116360. <https://doi.org/10.1016/j.taap.2022.116360>

Son, H. Y., Kim, S. H., Shin, H. I., Bae, H. I., & Yang, J. H. (2008). Perfluorooctanoic acid-induced hepatic toxicity following 21-day oral exposure in mice [Article]. Archives of Toxicology, 82(4), 239-246. <https://doi.org/10.1007/s00204-007-0246-x>

Takahashi, M., Ishida, S., Hirata-Koizumi, M., Ono, A., & Hirose, A. (2014). Repeated dose and reproductive/developmental toxicity of perfluoroundecanoic acid in rats [Article]. *Journal of Toxicological Sciences*, 39(1), 97-108.
<https://doi.org/10.2131/jts.39.97>

USEPA. (2023). IRIS Toxicological Review of Perfluorohexanesulfonic Acid (PFHxS, CASRN 335-46-4) and Related Salts. EPA/635/R-23/148a. External Review Draft.

Wu, X., Xie, G., Xu, X., Wu, W., & Yang, B. (2018). Adverse bioeffect of perfluorooctanoic acid on liver metabolic function in mice [Article]. *Environmental Science and Pollution Research*, 25(5), 4787-4793.

<https://doi.org/10.1007/s11356-017-0872-7>

Xu, L. L., Chen, Y. K., Zhang, Q. Y., Chen, L. J., Zhang, K. K., Li, J. H., Liu, J. L., Wang, Q., & Xie, X. L. (2022). Gestational exposure to GenX induces hepatic alterations by the gut-liver axis in maternal mice: A similar mechanism as PFOA [Article]. *Science of the Total Environment*, 820, Article 153281.

<https://doi.org/10.1016/j.scitotenv.2022.153281>

Zhang, H., Shi, Z., Liu, Y., Wei, Y., & Dai, J. (2008). Lipid homeostasis and oxidative stress in the liver of male rats exposed to perfluorododecanoic acid [Article]. *Toxicology and Applied Pharmacology*, 227(1), 16-25.

<https://doi.org/10.1016/j.taap.2007.09.026>

Zhang, Y., Zhang, L., Bao, J., Liu, L., & Wang, X. (2021). Perfluorooctanoic acid exposure in early pregnancy induces oxidative stress in mice uterus and liver [Article]. *Environmental Science and Pollution Research*, 28(46), 66355-66365.

<https://doi.org/10.1007/s11356-021-15453-6>

Zou, W., Liu, W., Yang, B., Wu, L., Yang, J., Zou, T., Liu, F., Xia, L., & Zhang, D. (2015). Quercetin protects against perfluorooctanoic acid-induced liver injury by attenuating oxidative stress and inflammatory response in mice [Article]. *International Immunopharmacology*, 28(1), 129-135, Article 3737.

<https://doi.org/10.1016/j.intimp.2015.05.043>