Table 3

In this guide

In this guide

- 1. Table 1 Annex B to TOX/2025/40
- 2. Table 2 Annex B to TOX/2025/40
- 3. Table 3 Annex B to TOX/2025/40
- 4. Table 4 Annex B to TOX/2025/40
- 5. Table 5 Annex B to TOX/2025/40
- 6. Table 6 Annex B to TOX/2025/40
- 7. Table 7 Annex B to TOX/2025/40
- 8. Table 8 Annex B to TOX/2025/40
- 9. Table 9 Annex B to TOX/2025/40
- 10. Table 10 Annex B to TOX/2025/40
- 11. Table 11 Annex B to TOX/2025/40
- 12. Table 12- Annex B to TOX/2025/40
- 13. Table 13- Annex B to TOX/2025/40
- 14. Table 14- Annex B to TOX/2025/40
- 15. Table 15- Annex B to TOX/2025/40

This is a draft statement for discussion. It does not reflect the final views of the Committee and should not be cited.

Table 3: Acute exposure to sum of T-2 and HT-2 from processed oat grains, unprocessed oat grains with applied reduction factor, and oats combined based on DNSYIC and NDNS years 1-11 consumption data and occurrence data collected from the FSA call for evidence (μg/kg

bw/day; LB-UB).

Infants (4-18 months) (n=2683)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration μg/kg LB-UB	Mean*	P97.5*
Processed oats**	443	25	0.015	0.085
Unprocessed oats with reduction factor+	4083	22.20-30.00	0.013- 0.018	0.075- 0.10
Oats combined++	4526	22.95 - 30.00	0.014- 0.018	0.078- 0.10

Toddlers (1.5-3 years) (n=1157)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration μg/kg LB-UB	Mean*	P97.5*
Processed oats**	443	25	0.014	0.079
Unprocessed oats with reduction factor+	4083	22.20-30.00	0.013 - 0.017	0.070 - 0.094
Oats combined++	4526	22.95 - 30.00	0.013 - 0.017	0.072 - 0.094

Children (4-10 years) (n=2537)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration μg/kg LB-UB	Mean*	P97.5*
Processed oats**	443	25	0.0092	0.049
Unprocessed oats with reduction factor+	4083	22.20-30.00	0.0081 - 0.011	0.043 - 0.059
Oats combined++	4526	22.95 - 30.00	0.0084 - 0.011	0.045 - 0.059

Older Children (11-18 years) (n=2657)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration μg/kg LB-UB	Mean*	P97.5*
Processed oats**	443	25	0.0037	0.023
Unprocessed oats with reduction factor+	4083	22.20-30.00	0.0033 - 0.0045	0.021 - 0.028
Oats combined++	4526	22.95 - 30.00	0.0034 - 0.0045	0.021 - 0.028

Adults (19-64 years) (n=5094)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration μg/kg LB-UB	Mean*	P97.5*
Processed oats**	443	25	0.0038	0.022
Unprocessed oats with reduction factor+	4083	22.20-30.00	0.0034 - 0.0046	0.020 - 0.027
Oats combined++	4526	22.95 - 30.00	0.0035 - 0.0046	0.021 - 0.027

Elderly (65+ years) (n=1538)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration μg/kg LB-UB	Mean*	P97.5*
Processed oats**	443	25	0.0047	0.022
Unprocessed oats with reduction factor+	4083	22.20-30.00	0.0042 - 0.0057	0.019 - 0.026
Oats combined++	4526	22.95 - 30.00	0.0043- 0.0057	0.020 - 0.026

Adult Vegetarians / Vegans (19-64 years) (n=170)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration μg/kg LB-UB	Mean*	P97.5*
Processed oats**	443	25	0.0069	0.035
Unprocessed oats with reduction factor+	4083	22.20-30.00	0.0061 - 0.0082	0.031 - 0.042
Oats combined++	4526	22.95 - 30.00	0.0063 - 0.0082	0.032 - 0.042

Women of Childbearing age (16-49 years) (n=2556)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration μg/kg LB-UB	Mean*	P97.5*
Processed oats**	443	25	0.0036	0.021
Unprocessed oats with reduction factor+	4083	22.20-30.00	0.0032 - 0.0043	0.019 - 0.026
Oats combined++	4526	22.95 - 30.00	0.0033 - 0.0043	0.020 - 0.026

^{*}Estimates have been rounded to 2 significant figures.

⁺Oats with reduction factor - unprocessed oat grains with reduction factor applied.

^{**}Processed oat grains - RPC derivatives/ ingredients i.e. RPCs which have undergone basic processing such as grinding, milling or crushing.

- ++ Oats combined combination of processed oat grains and unprocessed oat grains with reduction factor (85%).
- LB Lower bound: values below the limit of quantification (LOQ) are treated as zero; UB Upper bound: values below the LOQ are treated as at the LOQ.
- ** If single value is shown, it indicates that the exposures are based on detected values above the LOQ.