

Table 6

In this guide

[In this guide](#)

1. [Table 1 - Annex B to TOX/2025/40](#)
2. [Table 2 - Annex B to TOX/2025/40](#)
3. [Table 3 - Annex B to TOX/2025/40](#)
4. [Table 4 - Annex B to TOX/2025/40](#)
5. [Table 5 - Annex B to TOX/2025/40](#)
6. [Table 6 - Annex B to TOX/2025/40](#)
7. [Table 7 - Annex B to TOX/2025/40](#)
8. [Table 8 - Annex B to TOX/2025/40](#)
9. [Table 9 - Annex B to TOX/2025/40](#)
10. [Table 10 - Annex B to TOX/2025/40](#)
11. [Table 11 - Annex B to TOX/2025/40](#)
12. [Table 12- Annex B to TOX/2025/40](#)
13. [Table 13- Annex B to TOX/2025/40](#)
14. [Table 14- Annex B to TOX/2025/40](#)
15. [Table 15- Annex B to TOX/2025/40](#)

This is a draft statement for discussion. It does not reflect the final views of the Committee and should not be cited.

Table 6: Chronic exposure to sum of T-2 and HT-2 from unprocessed oat grains, unprocessed wheat grains, and unprocessed barley grains based on DNSYIC and NDNS years 1-11 consumption data and occurrence data collected from the FSA call for evidence ($\mu\text{g/kg bw/day}$;

LB-UB).

Infants (4-18 months) (n=2683)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration µg/kg LB-UB	Mean*	P97.5*
Unprocessed oats**	4083	170.44	0.047	0.29
Unprocessed wheat grains	192	0 -10.00	0-0.0091	0-0.031
Unprocessed barley grains	105	0 -10.00	0-0.00010	0-0.00055
All grains sum	NA	NA	0-0.056	0-0.29

Toddlers (1.5-3 years) (n=1157)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration µg/kg LB-UB	Mean*	P97.5*
Unprocessed oats**	4083	170.44	0.044	0.28
Unprocessed wheat grains	192	0 -10.00	0-0.016	0-0.040
Unprocessed barley grains	105	0 -10.00	0-0.00013	0-0.0011

All grains sum	NA	NA	0-0.061	0-0.29
----------------	----	----	---------	--------

Children (4-10 years) (n=2537)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration µg/kg LB-UB	Mean*	P97.5*
Unprocessed oats**	4083	170.44	0.028	0.17
Unprocessed wheat grains	192	0 -10.00	0-0.015	0- 0.036
Unprocessed barley grains	105	0 -10.00	0-0.00010	0-0.00082
All grains sum	NA	NA	0-0.044	0-0.20

Older Children (11-18 years) (n=2657)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration µg/kg LB-UB	Mean*	P97.5*
Unprocessed oats**	4083	170.44	0.011	0.076
Unprocessed wheat grains	192	0 -10.00	0-0.0089	0-0.022

Unprocessed barley grains	105	0 -10.00	0- 0.00017	0- 0.00052
All grains sum	NA	NA	0-0.020	0-0.089

Adults (19-64 years) (n=5094)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration µg/kg LB-UB	Mean*	P97.5*
Unprocessed oats**	4083	170.44	0.014	0.095
Unprocessed wheat grains	192	0 -10.00	0- 0.0056	0-0.015
Unprocessed barley grains	105	0 -10.00	0- 0.0039	0- 0.052
All grains sum	NA	NA	0-0.023	0-0.12

Elderly (65+ years) (n=1538)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration µg/kg LB-UB	Mean*	P97.5*
Unprocessed oats**	4083	170.44	0.020	0.10

Unprocessed wheat grains	192	0 -10.00	0-0.0048	0-0.012
Unprocessed barley grains	105	0 -10.00	0-0.0054	0-0.071
All grains sum	NA	NA	0-0.030	0-0.15

Adult Vegetarians / Vegans (19-64 years) (n=170)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration µg/kg LB-UB	Mean*	P97.5*
Unprocessed oats**	4083	170.44	0.024	0.14
Unprocessed wheat grains	192	0 -10.00	0-0.0063	0-0.015
Unprocessed barley grains	105	0 -10.00	0-0.0036	0-0.035
All grains sum	NA	NA	0-0.034	0-0.15

Women of Childbearing age (16-49 years) (n=2556)

Food groups	Count of T-2 HT-2 data call samples (n)	Median T-2/HT-2 concentration µg/kg LB-UB	Mean*	P97.5*
--------------------	--	--	--------------	---------------

Unprocessed oats**	4083	170.44	0.012	0.081
Unprocessed wheat grains	192	0 -10.00	0-0.0057	0-0.014
Unprocessed barley grains	105	0 -10.00	0- 0.00061	0- 0.0010
All grains sum	NA	NA	0-0.019	0-0.093

*Estimates have been rounded to 2 significant figures.

**Unprocessed oat grains – oat grains without processing (raw primary commodity (RPC)).

LB - Lower bound: values below the limit of quantification (LOQ) are treated as zero; UB - Upper bound: values below the LOQ are treated as at the LOQ.

** If single value is shown, it indicates that the exposures are based on detected values above the LOQ