

Table 9

In this guide

[In this guide](#)

1. [Table 1 - Annex B to TOX/2025/40](#)
2. [Table 2 - Annex B to TOX/2025/40](#)
3. [Table 3 - Annex B to TOX/2025/40](#)
4. [Table 4 - Annex B to TOX/2025/40](#)
5. [Table 5 - Annex B to TOX/2025/40](#)
6. [Table 6 - Annex B to TOX/2025/40](#)
7. [Table 7 - Annex B to TOX/2025/40](#)
8. [Table 8 - Annex B to TOX/2025/40](#)
9. [Table 9 - Annex B to TOX/2025/40](#)
10. [Table 10 - Annex B to TOX/2025/40](#)
11. [Table 11 - Annex B to TOX/2025/40](#)
12. [Table 12- Annex B to TOX/2025/40](#)
13. [Table 13- Annex B to TOX/2025/40](#)
14. [Table 14- Annex B to TOX/2025/40](#)
15. [Table 15- Annex B to TOX/2025/40](#)

This is a draft statement for discussion. It does not reflect the final views of the Committee and should not be cited.

Table 9: Acute risk to sum of T-2 and HT-2 from some cereal grains based on DNSYIC and NDNS years 1-11 consumption data and occurrence data collected from the FSA call, expressed as estimated x-fold of chronic exposure as a percentage of the ARfD of 0.3 µg/kg bw/day.

Infants (4-18 months) (n=2683)

Food groups	Mean* P97.5	
Unprocessed oats	0.3	2
Unprocessed oats with reduction factor+	0-0.1	0.3
Oats combined++	0-0.1	0.3
All grains sum (unprocessed)	0-0.4	0-2
All grains sum (processed)	0.1	0.3

Toddlers (1.5-3 years) (n=1157)

Food groups	Mean* P97.5	
Unprocessed oats	0.3	2
Unprocessed oats with reduction factor+	0-0.1	0.2-0.3
Oats combined++	0-0.1	0.2-0.3
All grains sum (unprocessed)	0-0.4	0-2
All grains sum (processed)	0-0.1	0.2-0.3

Children (4-10 years) (n=2537)

Food groups	Mean* P97.5	
-------------	-------------	--

Unprocessed oats	0.2	1
Unprocessed oats with reduction factor+ 0		0.1-0.2
Oats combined++	0	0.2
All grains sum (unprocessed)	0-0.3	0-1
All grains sum (processed)	0.1	0.2

Older Children (11-18 years) (n=2657)

Food groups	Mean* P97.5	
Unprocessed oats	0.1	0.5
Unprocessed oats with reduction factor+ 0		0.1
Oats combined++	0	0.1
All grains sum (unprocessed)	0-0.1	0-0.6
All grains sum (processed)	0	0.1

Adults (19-64 years) (n=5094)

Food groups	Mean* P97.5	
Unprocessed oats	0.1	0.5

Unprocessed oats with reduction factor+	0	0.1
Oats combined++	0	0.1
All grains sum (unprocessed)	0-0.2	0-0.8
All grains sum (processed)	0-0.1	0.1-0.5

Elderly (65+ years) (n=1538)

Food groups	Mean* P97.5	
Unprocessed oats	0.1	0.5
Unprocessed oats with reduction factor+	0	0.1
Oats combined++	0	0.1
All grains sum (unprocessed)	0-0.2	0-0.8
All grains sum (processed)	0-0.1	0.1-0.6

Adult Vegetarians / Vegans (19-64 years) (n=170)

Food groups	Mean* P97.5	
Unprocessed oats	0.2	0.8
Unprocessed oats with reduction factor+	0	0.1

Oats combined++	0	0.1
All grains sum (unprocessed)	0-0.2	0-1
All grains sum (processed)	0-0.1	0.1-0.4

Women of Childbearing age (16-49 years) (n=2556)

Food groups	Mean* P97.5	
Unprocessed oats	0.1	0.5
Unprocessed oats with reduction factor+	0	0.1
Oats combined++	0	0.1
All grains sum (unprocessed)	0-0.1	0-0.6
All grains sum (processed)	0	0.1

*Estimates have been rounded to 1 significant figure; except in cases where the exceedance is <1.

+ Oat grains with reduction factor - unprocessed oat grains with reduction factor (85%) applied.

++ Oats combined - combination of processed oat grains and unprocessed oat grains with reduction factor (85%) applied.