

## Table 14

### In this guide

#### [In this guide](#)

1. [Table 1 - Annex B to TOX/2025/40](#)
2. [Table 2 - Annex B to TOX/2025/40](#)
3. [Table 3 - Annex B to TOX/2025/40](#)
4. [Table 4 - Annex B to TOX/2025/40](#)
5. [Table 5 - Annex B to TOX/2025/40](#)
6. [Table 6 - Annex B to TOX/2025/40](#)
7. [Table 7 - Annex B to TOX/2025/40](#)
8. [Table 8 - Annex B to TOX/2025/40](#)
9. [Table 9 - Annex B to TOX/2025/40](#)
10. [Table 10 - Annex B to TOX/2025/40](#)
11. [Table 11 - Annex B to TOX/2025/40](#)
12. [Table 12- Annex B to TOX/2025/40](#)
13. [Table 13- Annex B to TOX/2025/40](#)
14. [Table 14- Annex B to TOX/2025/40](#)
15. [Table 15- Annex B to TOX/2025/40](#)

**This is a draft statement for discussion. It does not reflect the final views of the Committee and should not be cited.**

**Table 14: Chronic exposure to HT-2 from RTE products from DNSIYC and NDNS years 1-11 consumption data and occurrence data collected from the FSA call.**

**Infants (4-18 months) (n=2683)**

| <b>Food groups</b>      | <b>Count of HT-2 data call samples (n)</b> | <b>HT-2 concentration µg/kg (mean)</b> | <b>HT-2 concentration µg/kg (max)</b> | <b>Consumers (n)</b> | <b>*Mean; Mean</b> | <b>*Mean; P97.5</b> | <b>*Max; Mean</b> |
|-------------------------|--------------------------------------------|----------------------------------------|---------------------------------------|----------------------|--------------------|---------------------|-------------------|
| Plain muesli            | 3                                          | 17.3                                   | 39                                    | 91                   | 0.0013             | 0.0044              | 0.0029            |
| Biscuits, oatmeal       | 4                                          | 14.6                                   | 24.3                                  | 1441                 | 0.010              | 0.034               | 0.017             |
| Multigrain bread rolls  | 2                                          | 6.9                                    | 7                                     | 98                   | 0.0059             | 0.018               | 0.0060            |
| Wheat bread rolls       | 2                                          | 6.3                                    | 6.3                                   | 435                  | 0.010              | 0.036               | 0.010             |
| Dried pasta             | 4                                          | 6.3                                    | 6.3                                   | 1140                 | 0.011              | 0.040               | 0.011             |
| Mixed breakfast cereals | 3                                          | 8.6                                    | 11.2                                  | 1691                 | 0.016              | 0.062               | 0.021             |
| Oat porridge            | 23                                         | 20.1                                   | 95.7                                  | 389                  | 0.057              | 0.28                | 0.27              |
| Infants' cereals        | 2                                          | 217.5                                  | 219                                   | 1128                 | 0.70               | 2.9                 | 0.71              |

|                                  |   |      |      |     |        |        |        |
|----------------------------------|---|------|------|-----|--------|--------|--------|
| Plain cereal bars                | 2 | 14.5 | 18.2 | 5   | 0.0093 | 0.014  | 0.012  |
| Puffs/ curls type extruded snack | 1 | 5.2  | 5.2  | 630 | 0.0023 | 0.0072 | 0.0023 |

### Toddlers (1.5-3 years) (n=1157)

| Food groups            | Count of HT-2 data call samples (n) | HT-2 concentration µg/kg (mean) | HT-2 concentration µg/kg (max) | Consumers (n) | *Mean; Mean | *Mean; P97.5 | *Max; Mean |
|------------------------|-------------------------------------|---------------------------------|--------------------------------|---------------|-------------|--------------|------------|
| Plain muesli           | 3                                   | 17.3                            | 39                             | 14            | 0.018       | 0.033        | 0.041      |
| Biscuits, oatmeal      | 4                                   | 14.6                            | 24.3                           | 566           | 0.010       | 0.032        | 0.017      |
| Multigrain bread rolls | 2                                   | 6.9                             | 7                              | 75            | 0.012       | 0.041        | 0.012      |
| Wheat bread rolls      | 2                                   | 6.3                             | 6.3                            | 125           | 0.013       | 0.044        | 0.013      |
| Dried pasta            | 4                                   | 6.3                             | 6.3                            | 602           | 0.011       | 0.033        | 0.011      |

|                                  |    |       |      |     |        |        |        |
|----------------------------------|----|-------|------|-----|--------|--------|--------|
| Mixed breakfast cereals          | 3  | 8.6   | 11.2 | 983 | 0.013  | 0.056  | 0.017  |
| Oat porridge                     | 23 | 20.1  | 95.7 | 70  | 0.065  | 0.24   | 0.31   |
| Infants' cereals                 | 2  | 217.5 | 219  | 34  | 0.44   | 1.4    | 0.44   |
| Plain cereal bars                | 2  | 14.5  | 18.2 | 24  | 0.0077 | 0.016  | 0.0097 |
| Puffs/ curls type extruded snack | 1  | 5.2   | 5.2  | 387 | 0.0023 | 0.0057 | 0.0023 |

### Adults (19-64 years) (n=5094)

| Food groups       | Count of HT-2 data call samples (n) | HT-2 concentration $\mu\text{g/kg}$ (mean) | HT-2 concentration $\mu\text{g/kg}$ (max) | Consumers (n) | *Mean; Mean | *Mean; P97.5 | *Max; Mean |
|-------------------|-------------------------------------|--------------------------------------------|-------------------------------------------|---------------|-------------|--------------|------------|
| Plain muesli      | 3                                   | 17.3                                       | 39                                        | 211           | 0.0065      | 0.021        | 0.015      |
| Biscuits, oatmeal | 4                                   | 14.6                                       | 24.3                                      | 1472          | 0.0030      | 0.010        | 0.0049     |

|                                  |    |       |      |      |         |        |         |
|----------------------------------|----|-------|------|------|---------|--------|---------|
| Multigrain bread rolls           | 2  | 6.9   | 7    | 530  | 0.0041  | 0.011  | 0.0041  |
| Wheat bread rolls                | 2  | 6.3   | 6.3  | 293  | 0.0034  | 0.011  | 0.0034  |
| Dried pasta                      | 4  | 6.3   | 6.3  | 1677 | 0.0055  | 0.015  | 0.0055  |
| Mixed breakfast cereals          | 3  | 8.6   | 11.2 | 2935 | 0.0036  | 0.013  | 0.0047  |
| Oat porridge                     | 23 | 20.1  | 95.7 | 222  | 0.021   | 0.061  | 0.10    |
| Infants' cereals                 | 2  | 217.5 | 219  | 2    | 0.032   | 0.042  | 0.032   |
| Plain cereal bars                | 2  | 14.5  | 18.2 | 135  | 0.0024  | 0.0077 | 0.0030  |
| Puffs/ curls type extruded snack | 1  | 5.2   | 5.2  | 673  | 0.00064 | 0.0020 | 0.00064 |

## Adult Vegetarians / Vegans (19-64 years) (n=170)

| Food groups             | Count of HT-2 data call samples (n) | HT-2 concentration µg/kg (mean) | HT-2 concentration µg/kg (max) | Consumers (n) | *Mean; Mean | *Mean; P97.5 | *Max; Mean |
|-------------------------|-------------------------------------|---------------------------------|--------------------------------|---------------|-------------|--------------|------------|
| Plain muesli            | 3                                   | 17.3                            | 39                             | 11            | 0.0067      | 0.014        | 0.015      |
| Biscuits, oatmeal       | 4                                   | 14.6                            | 24.3                           | 55            | 0.0030      | 0.0070       | 0.0051     |
| Multigrain bread rolls  | 2                                   | 6.9                             | 7                              | 33            | 0.0044      | 0.010        | 0.0045     |
| Wheat bread rolls       | 2                                   | 6.3                             | 6.3                            | 10            | 0.0026      | 0.0067       | 0.0026     |
| Dried pasta             | 4                                   | 6.3                             | 6.3                            | 64            | 0.0071      | 0.021        | 0.0071     |
| Mixed breakfast cereals | 3                                   | 8.6                             | 11.2                           | 98            | 0.0039      | 0.010        | 0.0051     |
| Oat porridge            | 23                                  | 20.1                            | 95.7                           | 6             | 0.028       | 0.090        | 0.13       |
| Infants' cereals        | 2                                   | 217.5                           | 219                            | 0             | 0           | 0            | 0          |

|                                  |   |      |      |    |         |        |         |
|----------------------------------|---|------|------|----|---------|--------|---------|
| Plain cereal bars                | 2 | 14.5 | 18.2 | 2  | 0.0037  | 0.0039 | 0.0047  |
| Puffs/ curls type extruded snack | 1 | 5.2  | 5.2  | 22 | 0.00073 | 0.0011 | 0.00073 |

Exposure estimates have been rounded to 2 significant figures, concentrations have been rounded to one decimal place.

\*Mean/Max concentration.