

# References

## In this guide

### In this guide

1. [Risk to human health from consumption of bivalve molluscs \(shellfish\) harvested from UK waters associated with marine biotoxins - Introduction](#)
2. [Risk to human health from consumption of bivalve molluscs \(shellfish\) harvested from UK waters associated with marine biotoxins - Background](#)
3. [Risk to human health from consumption of bivalve molluscs \(shellfish\) harvested from UK waters associated with marine biotoxins - Emerging marine biotoxins](#)
4. [Risk to human health from consumption of bivalve molluscs \(shellfish\) harvested from UK waters associated with marine biotoxins - Unranked emerging marine biotoxins](#)
5. [Risk to human health from consumption of bivalve molluscs \(shellfish\) harvested from UK waters associated with marine biotoxins - Risk ranking method](#)
6. [Risk to human health from consumption of bivalve molluscs \(shellfish\) harvested from UK waters associated with marine biotoxins - Risk ranking results](#)
7. [Risk to human health from consumption of bivalve molluscs \(shellfish\) harvested from UK waters associated with marine biotoxins - Discussion](#)
8. [Risk to human health from consumption of bivalve molluscs \(shellfish\) harvested from UK waters associated with marine biotoxins - Conclusions](#)
9. [Risk to human health from consumption of bivalve molluscs \(shellfish\) harvested from UK waters associated with marine biotoxins - List of Abbreviations and Technical terms](#)
10. [Risk to human health from consumption of bivalve molluscs \(shellfish\) harvested from UK waters associated with marine biotoxins - References](#)

Alexander, R. P., O'Neill, A., Dean, K. J., Turner, A. D., & Maskrey, B. H. (2024). Detection of the Cyclic Imines Pinnatoxin G, 13-Desmethyl Spirolide C and 20-

Methyl Spirolide G in Bivalve Molluscs from Great Britain. **Marine Drugs**, 22(12), 556. <https://doi.org/10.3390/md22120556>

ANSES, (2021). Opinion on the state of knowledge on brevetoxins in shellfish, data on toxicity, occurrence and brevetoxin-producing microalgae. [ANSES revised OPINION on the state of knowledge on brevetoxins in shellfish, data on toxicity, occurrence and brevetoxin-producing microalgae](#)

Amzil Z, Derrien A, Terrillon AT, Savar V, Bertin T, Peyrat M, Duval A, Lhaute K, Arnich N, Hort V, Nicolas M (2023). Five years monitoring the emergence of unregulated toxins in shellfish in France (EMERGTOX 2018-2022). **Marine Drugs**, 21, 435. <https://doi.org/10.3390/md21080435>

Aune, T., Espenes, A., Aasen, J. A. B., Quilliam, M. A., Hess, P., & Larsen, S. (2012). Study of possible combined toxic effects of azaspiracid-1 and okadaic acid in mice via the oral route. **Toxicon**, 60(5), 895–906.

<https://doi.org/10.1016/j.toxicon.2012.06.007>

Bacciocchi S, Campacci D, Siracusa M, Dubbini A, Leoni F, Tavoloni T, Accoroni S, Gorbi S, Giuliani ME, Stramenga A, Piersanti A (2021). Tetrodotoxin (TTX) and Vibro alginolyticus in mussels from Central Adriatic Sea (Italy): Are they closely related? **Marine Drugs**, 19(6), 304. <https://doi.org/10.3390/md19060304>

Bane V, Lehane M, Dikshit M, O'Riordan A, Furey A (2014). Tetrodotoxin: chemistry, toxicity, source, distribution and detection. **Toxins**, 6(2), 693–755. <https://doi.org/10.3390/toxins6020693>

Blanco L, Lago J, Gonzalez V, Paz B, Rambla-Alegre M, Cabado AG (2019). Occurrence of tetrodotoxin in bivalves and gastropods from harvesting areas and other natural spaces in Spain. **MDPI**, 11(6), 331. <https://doi.org/10.3390/toxins11060331>

Bordin P, Dall'Ara S, Tartaglione L, Antonelli P, Calfapietra A, Varriale F, Guiatti D, Milandri A, Dell'Aversano C, Arcangeli G, Barco L (2021). First occurrence of tetrodotoxins in bivalve mollusks from Northern Adriatic Sea (Italy). **Food Control**, 120(4), 107510. <http://dx.doi.org/10.1016/j.foodcont.2020.107510>

Cefas (2014). Final Report: Research to support the development of a monitoring programme for new or emerging marine biotoxins in shellfish in UK waters. [Final Report - Research.pdf](#)

CRLMB (Community Reference Laboratory for Marine Biotoxins), (2005). Report on toxicology working group meeting, Cesenatico, Italy, 24-25 October, 2005.

DAERA (Department of Agriculture, Environment and Rural Affairs), (2024). The Lough Neagh Report, Blue Green Algae and Water Quality in Northern Ireland, July 2024. [The Lough Neagh Report](#)

Davidson K, Baker C, Higgins C, Higman W, Swan S, Veszelovski A, Turner AD (2015). Potential threats posed by new or merging biotoxins in UK waters and examination of detection methodologies used for their control: Cyclic imines. *Marine Drugs*, 13(12), 7087-112. <https://doi.org/10.3390/md13127057>

Dhanji-Rapkova M, Turner AD, Baker-Austin C, Huggett JF, Ritchie JM (2021). Distribution of tetrodotoxin in Pacific oysters (*Crassostrea gigas*). *MDPI*, 19(2), 84. <https://doi.org/10.3390/md19020084>

EFSA (2008). Marine biotoxins in shellfish - Azaspiracid group. Scientific Opinion of the Panel on Contaminants in the Food chain. *EFSA Journal*, 6(10): 723. <https://doi.org/10.2903/j.efsa.2008.723>

EFSA (2009a). Scientific Opinion on marine biotoxins in shellfish - domoic acid. *EFSA Journal*, 7(7), 1181. <https://doi.org/10.2903/j.efsa.2009.1181>

EFSA (2009b). Scientific Opinion on marine biotoxins in shellfish - Palytoxin group. *EFSA Journal*, 7(12): 1393. <https://doi.org/10.2903/j.efsa.2009.1393>

EFSA (2009c). Scientific Opinion on marine biotoxins in shellfish - Saxitoxin group. *EFSA Journal*, 10(19), 1-76. <https://doi.org/10.2903/j.efsa.2009.1019>

EFSA (2010a). Scientific Opinion on marine biotoxins in shellfish - Cyclic imines (spirolides, gymnodimines, pinnatoxins and pteriatoxins). *EFSA Journal*, 8(6): 1628. <https://doi.org/10.2903/j.efsa.2010.1628>

EFSA (2010b). Scientific Opinion on marine biotoxins in shellfish - Emerging biotoxins: Brevetoxin group. *EFSA Journal*, 8(7):1677. <https://doi.org/10.2903/j.efsa.2010.1677>

EFSA (2017). Risk for public health related to the presence of tetrodotoxin (TTX) and TTX analogues in marine bivalves and gastropods. *EFSA Journal*, 15(4), 4752. <https://doi.org/10.2903/j.efsa.2017.4752>

FAO/WHO (2016). Technical paper on toxicity equivalency factors for marine biotoxins associated with bivalve molluscs. Rome. 1-133. [Toxicity equivalence](#)

## [factors for marine biotoxins associated with bivalve molluscs - Technical paper](#)

FSAI (2016). The occurrence of marine biotoxins and risk of exposure to seafood consumers in Ireland. Report of the Scientific Committee of the Food Safety Authority of Ireland. [marine-biotoxins-report-final-\(1\).pdf](#)

Gerssen A, Bovee THF, Kijnstra MD, Poelman M, Portier L, Hoogenboom RLAP (2018). First report of the occurrence of tetrodotoxins in bivalve mollusks in the Netherlands. MDPI, 10(11), 450. <https://doi.org/10.3390/toxins10110450>

Hort V, Arnich N, Guerin T, Lavison-Bompard G, Nicolas M (2020). First detection of tetrodotoxins in bivalves and gastropods from the French Mainland Coasts. Toxins, 12(9), 599. (anses-02965280). <https://doi.org/10.3390/toxins12090599>

Islam QT, Razzak MA, Islam MA, Bari MI, Basher A, Chowdhury FR, Sayeduzzaman AB, Ahsan HA, Faiz MA, Arakawa O, Yotsu-Yamashita M, Kuch U, Mebs D (2011). Puffer fish poisoning in Bangladesh: clinical and toxicological results from large outbreaks in 2008. Transactions of the Royal Society of Tropical Medicine and Hygiene, 105(2), 74-80. <https://doi.org/10.1016/j.trstmh.2010.10.002>

Ito, E., Satake, M., Ofuji, K., Kurita, N., McMahon, T., James, K., & Yasumoto, T. (2000). Multiple organ damage caused by a new toxin azaspiracid, isolated from mussels produced in Ireland. Toxicon, 38(7), 917-930.  
[https://doi.org/10.1016/S0041-0101\(99\)00203-2](https://doi.org/10.1016/S0041-0101(99)00203-2)

Jauffrais, T., Marcaillou, C., Herrenknecht, C., Truquet, P., Séchet, V., Nicolau, E., Tillmann, U., & Hess, P. (2012). Azaspiracid accumulation, detoxification and biotransformation in blue mussels (*Mytilus edulis*) experimentally fed *Azadinium spinosum*. Toxicon, 60(4), 582-595. <https://doi.org/10.1016/j.toxicon.2012.04.351>

Krock B, Tillmann U, Tebben J, Trefault N, Gu H (2019). Two novel azaspiracids from *Azadinium poporum*, and a comprehensive compilation of azaspiracids produced by Amphidomataceae, (Dinophyceae). Harmful Algae, 82, 1-8.  
<https://doi.org/10.1016/j.hal.2018.12.005>

Lad, A., Breidenbach, J. D., Su, R. C., Murray, J., Kuang, R., Mascarenhas, A., Najjar, J., Patel, S., Hegde, P., Youssef, M., Breuler, J., Kleinhenz, A. L., Ault, A. P., Westrick, J. A., Modyanov, N. N., Kennedy, D. J., & Haller, S. T. (2022). As We Drink and Breathe: Adverse Health Effects of Microcystins and Other Harmful Algal Bloom Toxins in the Liver, Gut, Lungs and Beyond. Life, 12(3), Article 3.  
<https://doi.org/10.3390/life12030418>

Lago, J., Rodríguez, L. P., Blanco, L., Vieites, J. M., & Cabado, A. G. (2015). Tetrodotoxin, an Extremely Potent Marine Neurotoxin: Distribution, Toxicity, Origin and Therapeutical Uses. *Marine Drugs*, 13(10), Article 10. <https://doi.org/10.3390/md13106384>

Otero, P., & Silva, M. (2022). Emerging Marine Biotoxins in European Waters: Potential Risks and Analytical Challenges. **Marine Drugs**, 20(3), Article 3. <https://doi.org/10.3390/md20030199>

Pigozzi, S., Bianchi, L., Boschetti, L., Cangini, M., Ceredi, A., Magnani, F., Milandri, A., Montanari, S., Pompei, M., Riccardi, E., & Rubini, S. (2008). First evidence of spirolide accumulation in northwestern Adriatic shellfish. Copenhagen. 319-322.

Ramos, V., & Vasconcelos, V. (2010). Palytoxin and analogs: Biological and ecological effects. **Marine Drugs**, 8(7), 2021-2037.

<https://doi.org/10.3390/md8072021>

Reid, N., Reyne, M. I., O'Neill, W., Greer, B., He, Q., Burdekin, O., McGrath, J. W., & Elliott, C. T. (2024). Unprecedented Harmful algal bloom in the UK and Ireland's largest lake associated with gastrointestinal bacteria, microcystins and anabaenopeptins presenting an environmental and public health risk.

**Environment International**, 190, 108934.

<https://doi.org/10.1016/j.envint.2024.108934>

Testai E, Buratti FM, Funari E, Manganelli M, Vichi S (2016). Review and analysis of occurrence, exposure and toxicity of cyanobacteria toxins in food. EFSA supporting publication: EN-998, 309pp. <https://doi.org/10.2903/sp.efsa.2016.EN-998>

Tillmann, U., Jaén, D., Fernández, L., Gottschling, M., Witt, M., Blanco, J., & Krock, B. (2017). *Amphidoma languida* (Amphidomatacea, Dinophyceae) with a novel azaspiracid toxin profile identified as the cause of molluscan contamination at the Atlantic coast of southern Spain. *Harmful Algae*, 62, 113-126.

<https://doi.org/10.1016/j.hal.2016.12.001>

Turner A, Powell A, Schofield A, Lees D, Baker-Austin C (2015). Detection of the pufferfish toxin tetrodotoxin in European bivalves, England, 2013 to 2014. *Eurosurveillance*, 20(2), 1-7. <https://doi.org/10.2807/1560-7917.es2015.20.2.21009>

Vareli K, Zarli E, Zacharioudakis Vagenas G, Varelis V, Pilidis G, Briasoulis E, Sainis I (2012). Microcystin producing cyanobacterial communities in Amvrakikos Gulf

(Mediterranean Sea, NW Greece) and toxin accumulation in mussels (*Mytilus galloprovincialis*). *Harmful Algae*, 15, 109-118.

<http://dx.doi.org/10.1016/j.hal.2011.12.005>

Vilariño, N., Louzao, M. C., Abal, P., Cagide, E., Carrera, C., Vieytes, M. R., & Botana, L. M. (2018). Human Poisoning from Marine Toxins: Unknowns for Optimal Consumer Protection. *Toxins*, 10(8), Article 8.

<https://doi.org/10.3390/toxins10080324>

WHO (2020). Cyanobacterial toxins: Microcystins. Background document for development of WHO Guidelines for drinking-water quality and Guidelines for safe recreational water environments.

[Microsoft Word GDWQ.2ndEdit.Cyanobacterial.toxins.doc](#)

WHO (2022). Guidelines for drinking water quality. Fourth edition incorporating the first and second addenda. [Guidelines for drinking water](#)

Žegura, B., Štraser, A., & Filipič, M. (2011). Genotoxicity and potential carcinogenicity of cyanobacterial toxins - a review. *Mutation Research/Reviews in Mutation Research*, 727(1), 16-41. <https://doi.org/10.1016/j.mrrev.2011.01.002>