

References

In this guide

[In this guide](#)

1. [Annex A TOX/2025/47 - Introduction](#)
2. [Annex A TOX/2025/47 - Evaluations prior to the 2023 EFSA Opinion](#)
3. [Annex A TOX/2025/47 - Evaluations by Regulatory bodies since the EFSA 2023 Opinion](#)
4. [Annex A TOX/2025/47 - COT review of BPA](#)
5. [Annex A TOX/2025/47 - Overall conclusion by the COT](#)
6. [Annex A TOX/2025/47 - COT Evaluation Timeline](#)
7. [Annex A TOX/2025/47 - Abbreviations](#)
8. [TOX/2025/47 Annex A - References](#)
9. [TOX/2025/47 Annex A - Literature search on the reproductive toxicity, immunotoxicity, pathology and histopathology of BPA](#)

This is a background paper for discussion. It has not been finalised and should not be cited.

BfR (2023). Bisphenol A: BfR proposes new health based guidance value, current exposure data are needed for a full risk assessment. BfR Opinion No 018/2023.

<https://doi.org/10.17590/20230419-114234-0>

Bodin J, Bolling Ak, Becher R, Kuper F, Lovik M, Nygaard UC (2014). Transmaternal bisphenol A exposure accelerates diabetes type 1 development in NOD mice. Toxicological Science, 137(2), 311-323.

<https://doi.org/10.1093/toxsci/kft242>

Camacho L, Lewis SM, Vanlandingham MM, Olson GR, Davis KJ, Patton RE, Twaddle NC, Doerge DR, Churchwell MI, Bryant MS, McLellen FM, Woodling KA, Felton RP, Maisha MP, Juliar BE, Gamboa da Costa G, Delclos KB (2019). A two-year toxicology study of bisphenol A (BPA) in Sprague-Dawley rats: CLARITY-BPA

core study results. Food and Chemical Toxicology, 132, 110728.

<https://doi.org/10.1016/j.fct.2019.110728>

COT (2024). Position paper on bisphenol A.

<https://doi.org/10.46756/sci.fsa.sjl259>

Darmani H and Alkhatib MMA (2024). Non-monotonic effects of bisphenol A dimethacrylate on male mouse reproductive system and fertility leads to impaired conceptive performance. Toxicology Mechanisms and Methods, 34(3), 262-270.

<https://doi.org/10.1080/15376516.2023.2279723>

Dere E, Anderson LM, Huse SM, Spade DJ, McDonnell-Clark E, Madnick SJ, Hall SJ, Camacho L, Lewis SM, Vanlandingham MM, Boekelheide K (2018). Effects of continuous bisphenol A exposure from early gestation on 90 day old rat testes function and sperm molecular profiles: A CLARITY-BPA consortium study. Toxicology and Applied Pharmacology, 347, 1-9.

<https://doi.org/10.1016/j.taap.2018.03.021>

Dong Y, Gao L, Sun Q, Jia L, Liu D (2023). Increased levels of IL-17 and autoantibodies following Bisphenol A exposure were associated with activation of PI3K/AKT/mTOR pathway and abnormal autophagy in MRL/lpr mice. Ecotoxicology and Environmental Safety, 255, 114788.

<https://doi.org/10.1016/j.ecoenv.2023.114788>

EFSA (2015). Scientific Opinion on the risk to public health related to the presence of bisphenol A (BPA) in foodstuffs. EFSA Journal, 13(1), 3978. [Publications | EFSA](#)

EFSA and BfR (2023). Report on diverging views between EFSA and BfR on EFSA's updated bisphenol A assessment. [Report on diverging views between EFSA and BfR on EFSA bisphenol A \(BPA\) opinion](#)

EFSA and EMA (2023). Report on divergent views between EFSA and EMA on EFSA's updated bisphenol A assessment. [ema-efsa-article-30.pdf](#)

EFSA (2024). Re-evaluation of the risk to public health related to the presence of bisphenol A (BPA) in foodstuffs. EFSA Journal, 21(4), 6857, 392 pp.

<https://doi.org/10.2903/j.efsa.2023.6857>

FDA (1966). Guidelines for reproduction studies for safety evaluation of drugs for human use. Washington, Department of Health, Education and Welfare. Referenced in: Raheja KL, Jordan A, Fourcroy JL (1988). Food and drug administration guidelines for reproductive toxicity testing. *Reproductive Toxicology*, 2(3-4), 291-293.

[https://doi.org/10.1016/0890-6238\(88\)90034-2](https://doi.org/10.1016/0890-6238(88)90034-2)

FDA (2014). Updated safety assessment of Bisphenol A (BPA) for use in food contact applications. [download](#)

FDA (2021). S5(R3) Detection of reproductive and developmental toxicity for human pharmaceuticals. Guidance for industry. The International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use (ICH). [Guidance for Industry](#)

FDA (2024). Memorandum on the request for consultation on bisphenol A (BPA). (unpublished)

Gonzalez-Gomez M, Reyes R, Damas-Hernández MdC, Plasencia-Cruz X, González-Marrero I, Alonso R, Bello AR (2023). NTS, NTSR1 and ERs in the pituitary-gonadal axis of cycling and postnatal female rats after BPA treatment. *International Journal of Molecular Science*, 24, 7418

<https://doi.org/10.3390/ijms24087418>

Gu HJ, Kim DY, Shin SH, Rahman MdS, Lee H-S, Pang M-G, Kim J-M, Ryu B-Y (2024). Genome-wide transcriptome analysis reveals that Bisphenol A activates immune responses in skeletal muscle. *Environmental Research*, 252(3), 119034.

<https://doi.org/10.1016/j.envres.2024.119034>

Holmboe S, Scheutz Henriksen L, Frederiksen H, Andersson A-M, Priskorn L, Jorgsen N, Juul A, Toppari J, Skakkabaek NE, Main KM (2022). Prenatal exposure to phenols and benzophenols in relation to markers of male reproductive function in adulthood. *Frontiers in Endocrinology*, 13.

<https://doi.org/10.3389/fendo.2022.1071761>

Hwang M, Park S-J, LeeH-J (2023). Risk assessment of bisphenol A in the Korean general population. *Applied Science*, 13, 3587.

<https://doi.org/10.3390/app13063587>

IPCS (2001). Principles for evaluating health risks to reproduction associated with exposure to chemicals. Environmental Health Criteria, 225. [Principles For Evaluating Health Risks To Reproduction Associated With Exposure To Chemicals \(EHC 225, 2001\)](#)

Jeseta M, Kalina J, Franzova K, Fialkova S, Hosek J, Mekinova L, Crha I, Kempisty B, Ventruba P, Navratilova J (2024). Cross sectional study on exposure to BPA and its analogues and semen parameters in Czech men. Environmental Pollution, 345, 123445.

<https://doi.org/10.1016/j.envpol.2024.123445>

Kortenkamp A, Martin O, Ermler S, Baig A, Scholze M (2022). Bisphenol A and declining semen quality: A systematic review to support the derivation of a reference dose for mixture risk assessments. International Journal of Hygiene and Environmental Health, 241, 113942.

<https://doi.org/10.1016/j.ijheh.2022.113942>

Liu C, Duan W, Li R, Xu S, Zhang L, Chen C, He M, Lu Y, Wu H, Pi H, Luo X, Zhang Y, Zohong M, Yu Z, Zhou Z (2013). Exposure to bisphenol A disrupts meiotic progression during spermatogenesis in adult rats through estrogen-like activity. Cell Death and Disease 4 (6).

<https://doi.org/10.1038/cddis.2013.203>

Luo S, Li Y, Zhu Q, Jiang J, Wu C, Shen T (2016). Gestational and lactational exposure to low-dose bisphenol A increases Th17 cells in mice offspring. Environmental Toxicology and Pharmacology 47, 149-158.

<https://doi.org/10.1016/j.etap.2016.09.017>

Malaise Y, Menard S, Cartier C, Lencina C, Sommer C, Gaultier E, Houdeau E, Guzylack-Piriou L (2018). Consequences of bisphenol a perinatal exposure on immune responses and gut barrier function in mice. Arch Toxicol 92 (1), 347-358.

<https://doi.org/10.1007/s00204-017-2038-2>

Menard S, Guzylack-Piriou L, Lencina C, Leveque M, Naturel M, Sekkal S, Harkat C, Gaultier E, Olier M, Garcia-Villar R, Theodorou V, Houdeau E (2014a). Perinatal exposure to a low dose of bisphenol A impaired systemic cellular immune response and predisposes young rats to intestinal parasitic infection. PLoS One, 19(11), e112752.

<https://doi.org/10.1371/journal.pone.0112752>

Menard S, Guzylack-Piriou L, Leveque M, Braniste V, Lencina C, Naturel M, Moussa, L, Sekkal S, Harkat C, Gaultier E, Theodorou V, Houdeau E (2014b). Food intolerance at adulthood after perinatal exposure to the endocrine disruptor bisphenol. *The FASEB Journal*, 28(11), 4893-4900.

<https://doi.org/10.1096/fj.14-255380>

Molangiri A, Varma S, Satyavani M, Kambham S, Duttory AK, Basak S (2022). Prenatal exposure to bisphenol S and bisphenol A differentially affects male reproductive system in the adult offspring. *Food and Chemical Toxicology*, 16, 113292.

<https://doi.org/10.1016/j.fct.2022.113292>

O'Brian E, Bergin IL, Dolinoy DC, Zaslona Z, Little RJA, Tao Y, Peters-Golden M, Manusco P (2014). Perinatal bisphenol A exposure beginning before gestation enhances allergen sensitisation, but not pulmonary inflammation, in adult mice. *Journal of Developmental Origins of Health and Disease*, 5(2), 121-131.

<https://doi.org/10.1017/s204017441400004x>

Ozkemahli G, Ozyurt AB, Erkekoglu P, Zeybek ND, YersalN, Kocer-Gumusel B (2022). The effects of prenatal and lactational bisphenol A and/or di(2-ethylhexyl) phthalate exposure on female reproductive system. *Toxicology Mechanisms and Methods*, 32(8), 597-605

<https://doi.org/10.1080/15376516.2022.2057265>

Prueitte RL and Goodmann JE (2024). Evidence evaluated by European Food Safety Authority does not support lowering the temporary tolerable daily intake for bisphenol A. *Toxicological Sciences*, 198(2), 185-190.

<https://doi.org/10.1093/toxsci/kfad136>

RIVM (2014). Bisphenol A. Part 1. Facts and figures on human and environmental health issues and regulatory perspectives. RIVM Report 601351001/2014.

[Bisphenol A Part 1. Facts and figures on human and environmental health issues and regulatory perspectives](#)

RIVM (2016). Bisphenol A. Part 2. Recommendations for risk assessment. RIVM Report 2015-0192. [Bisphenol A, Part 2 Recommendations for risk management](#)

Spielmann H (2009). The way forward in reproductive/developmental toxicity testing. *Alternatives to Laboratory Animals*, 37(6), 641-656.

<https://doi.org/10.1177/026119290903700609>

Srivastava S and Gupta P (2018). Alteration in apoptotic rate of testicular cells and sperms following administration of Bisphenol A (BPA) in Wistar albino rats. *Environmental Science and Pollution Research* 25 (22), 21635-21643.

<https://doi.org/10.1007/s11356-018-2229-2>

Sturm S, Weber K, Klinc P, Spörndly-Ness E, Fakhrzadeh A, Knific T, Skibin A, Fiolova V, Okazaki Y, Razinger T, Laufs J, Kreutzer R, Pogacnik M, Svara T, Cerkvencik-Flajs V (2022). Basic exploratory study of bisphenol A (BPA) dietary administration to istrian pramenka rams and male toxicity investigation. *Toxics*, 10, 224.

<https://doi.org/10.3390/toxics10050224>

Teteau O, Carvalho AV, Papillier P, Mandon-Pepin B, Jouneau L, Jarrier-Gaillard P, Sedmarchais A, Lebalchelier de la Riviere ME, Vignault C, Maillard V, Binet A, Uzbekova S, Elis S (2023). Bisphenol A and bisphenol S both disrupt ovine granulosa cell steroidogenesis but through different molecular pathways. *Journal of Ovarian Research*, 16(30).

<https://doi.org/10.1186/s13048-023-01114-4>

WHO/IPCS (2017). Guidance document on evaluating and expressing uncertainty in hazard characterisation. Second Edition. Geneva: World Health Organisation.

[Guidance document on evaluating and expressing uncertainty in hazard characterisation. Second Edition.](#)

Ye X, Liu Z, Han HW, Noh JY, Shen Z, Kim DM, Wang H, Guo H, Ballard J, Golovko a, Morpurgo B, Sun X (2023). Nutrient-sensing ghrelin receptor in macrophages modulates bisphenol A-induced intestinal inflammation in mice. *Genes*, 14, 1455.

<https://doi.org/10.3390/genes14071455>

Zhang N, Zhao Y, Zhai L, Bai Y, Jia L (2023). Urinary bisphenol A and S are associated with diminished ovarian reserve in women from an infertility clinic in Northern China. *Ecotoxicology and Environmental Safety*. 256, 114867.

<https://doi.org/10.1016/j.ecoenv.2023.114867>