

References

In this guide

[In this guide](#)

1. [Statement on the risk for T-2 and HT-2 mycotoxins in food - Background](#)
2. [Statement on the risk for T-2 and HT-2 mycotoxins in food - Introduction](#)
3. [Statement on the risk for T-2 and HT-2 mycotoxins in food - Toxicity](#)
4. [Statement on the risk for T-2 and HT-2 mycotoxins in food - Health Based Guidance Values \(HBGVs\)](#)
5. [Statement on the risk for T-2 and HT-2 mycotoxins in food - Exposure assessment](#)
6. [Statement on the risk for T-2 and HT-2 mycotoxins in food - Risk characterisation](#)
7. [Statement on the risk for T-2 and HT-2 mycotoxins in food - Uncertainties and assumptions](#)
8. [Statement on the risk for T-2 and HT-2 mycotoxins in food - Conclusions](#)
9. [Statement on the risk for T-2 and HT-2 mycotoxins in food - Abbreviations](#)
10. [Statement on the risk for T-2 and HT-2 mycotoxins in food - References](#)

Bates B.D., Collins K., Jones P., et al. (2020) National Diet and Nutrition Survey Results from years 9, 10 and 11 (combined) of the Rolling Programme (2016/2017 to 2018/2019). Survey, London: Public Health England. [NDNS: results from years 9 to 11 \(2016 to 2017 and 2018 to 2019\) - GOV.UK.](#)

Bates B., Lennox A., Prentice A., et al. (2014) National Diet and Nutrition Survey: Results from Years 1, 2, 3 and 4 (combined) of the Rolling Programme (2008/2009 – 2011/2012). London: Public Health England. [Main heading.](#)

Bates B., Cox L., Page S., et al. (2016) National Diet and Nutrition Survey Results from Years 5 and 6 (combined) of the Rolling Programme (2012/2013 – 2013/2014). London: Public Health England. [Main heading.](#)

Coddington K.A., Swanson S.P., Hassan A.S., *et al.* (1989). Enterohepatic circulation of T-2 toxin metabolites in the rat. *Drug Metabolism and Disposition*

17: 600-605. DOI:[https://doi.org/10.1016/S0090-9556\(25\)08826-9](https://doi.org/10.1016/S0090-9556(25)08826-9)

COT (2018) Statement of T-2 toxin (T-2), HT-2 toxin (HT-2) and neosolaniol (NEO) in the diet of infants aged 0 to 12 months and children aged 1 to 5 years. [cotstatement-T-2HT-2andneosolaniol.pdf](#).

COT (2021) Statement on the potential risk(s) of combined exposure to mycotoxins. [Combined exposure to mycotoxins report](#).

Department of Health (2013) "Diet and Nutrition Survey of Infants and Young Children, 2011." [Diet and nutrition survey of infants and young children, 2011 - GOV.UK](#).

EFSA (2011) Scientific Opinion on the risks for animal and public health related to the presence of T-2 and HT-2 toxin in food and feed. EFSA Journal 9(12): 2481 [Scientific Opinion on the risks for animal and public health related to the presence of T-2 and HT-2 toxin in food and feed](#). DOI: <https://doi.org/10.2903/j.efsa.2011.2481>

EFSA (2017a) Appropriateness to set a group health based guidance value for T2 and HT2 toxin and its modified forms. EFSA Journal 51(1): 4655. DOI: <https://doi.org/10.2903/j.efsa.2017.4655>

EFSA (2017b) Human and animal dietary exposure to T-2 and HT-2 toxin. EFSA Journal 15(8):4972. DOI: <https://doi.org/10.2903/j.efsa.2017.4972>

EFSA (2022) Assessment of information as regards the toxicity of T-2 and HT-2 toxin for ruminants. EFSA Journal 20(9): 7564. DOI: <https://doi.org/10.2903/j.efsa.2022.7564>

EFSA (2025) Food classification standardisation – The FoodEx2 system. [Food classification standardisation – The FoodEx2 system | EFSA](#).

JECFA (2001) WHO Food Additive Series: 47. Safety evaluation of certain mycotoxins in food. [T-2 AND HT-2 TOXINS \(JECFA 47, 2001\)](#).

FSA (2015). Retail survey of T-2 and HT-2 toxin levels in oat based products. Executive Summary: [fs102126execsum.pdf](#).

FSA (2023) Call for data: T-2 and HT-2 toxins in food [Call for data: T-2 and HT-2 toxins in food | Food Standards Agency](#).

JECFA (2022) Summary of Conclusions of 93rd meeting of JECFA. [93rd Joint FAO/WHO Expert Committee on Food Additives \(JECFA\) - Food additives. Summary](#)

[and conclusions. 2022.](#)

Matsumoto H., Ito T. & Ueno Y, (1978) Toxicological approaches to the metabolites of Fusaria. 12. Fate and distribution of T-2 toxin in mice. Japanese Journal of Experimental Medicine 48: 393-399.

Meyer J.C., Birr T., Hennies I., et al. (2022) Reduction of deoxynivalenol, T-2 and HT-2 toxins and associated Fusarium species during commercial and laboratory de-hulling of milling oats." Food Additives & Contaminants: Part A 39(6): 1163-1183. DOI: <https://doi.org/10.1080/19440049.2022.2059576>

Nathanail A.V., Varga E., Meng-Reiterer J., et al. (2015) Metabolism of the Fusarium Mycotoxins T-2 Toxin and HT-2 Toxin in Wheat. J. Agric. Food Chem. 63: 7862-7872. DOI: <https://doi.org/10.1021/acs.jafc.5b02697>

Pascale M., Haidukowski M., Lattanzio V., et al. (2011) Distribution of T-2 and HT-2 Toxins in Milling Fractions of Durum Wheat. Journal of Food Protection 74(10): 1700-1707. DOI: <https://doi.org/10.4315/0362-028X.JFP-11-149>

Percie du Sert N., Holmes A.M., Wallis R., et al. (2012) Predicting the emetic liability of novel chemical entities: a comparative study. British Journal of Pharmacology 165: 1848-1867. DOI: <https://doi.org/10.1111/j.1476-5381.2011.01669.x>

Pettersson H. (2008) T-2 and HT-2 toxins in oats and oat products. 5th EC Fusarium-Toxin Forum, Brussels, 10-11 January 2008.

Pfeiffer R.L, Swanson S.P. & Buck W.B. (1988) Metabolism of T-2 toxin in rats - effects of dose, route, and time. Journal of Agricultural and Food Chemistry 36: 1227-123. DOI: <https://doi.org/10.1021/jf00084a025>

Polišenská I., Jirsa O., Vaculová K., et al. (2020) Fusarium Mycotoxins in Two Hulless Oat and Barley Cultivars Used for Food Purposes. Foods 9(8): 1037. DOI: <https://doi.org/10.3390/foods9081037>

PubChem (2026) PubChem database. [National Institutes of Health \(NIH\) | \(.gov\).](#)

Rafai P., Bata A., Vanyi A., et al. (1995a) Effect of various levels of T-2 toxin on the clinical status, performance and metabolism of growing pigs. Vet. Rec. 136: 485-489. DOI: <https://doi.org/10.1136/vr.136.19.485>

Rafai P., Tuboly S., Bata A., et al. (1995b) Effect of various levels of T-2 toxin in the immune system of growing pigs. *Vet. Rec.* 136: 511-514.

DOI: <https://doi.org/10.1136/vr.136.20.511>

Rahman S., Sharma A.K., Singh N.D., et al. (2014) Clinico-haematological changes in T-2 toxicosis in Wistar rats. *Indian Journal of Veterinary Pathology.* 38: 22-28.

DOI: <https://doi.org/10.5958/0973-970X.2014.01129.8>

Roberts C., Steer T., Maplethorpe N., et al. (2018) National Diet and Nutrition Survey Results from Years 7 and 8 (combined) of the Rolling Programme (2014/2015 to 2015/2016). Survey, London: Public Health England. [National Diet and Nutrition Survey](#).

Safefood (2024) Mycotoxin control in cereals: safeguarding food. Technical Project Report. [Mycotoxin control in cereals: safeguarding human food](#).

Schwake-Anduschus C., Langenkämper G., Unbehend G., et al. (2010) Occurrence of Fusarium T-2 and HT-2 toxins in oats from cultivar studies in Germany and degradation of the toxins during grain cleaning treatment and food processing. *Food Additives and Contaminants. Part A, Chemistry, Analysis, Control, Exposure & Risk Assessment* 27: 1253-1260. DOI:

<https://doi.org/10.1080/19440049.2010.487499>

SCF (2002) Opinion of the Scientific Committee on Food on Fusarium toxins. Part 6: Group evaluation of T-2 toxin, HT-2 toxin, nivalenol and deoxynivalenol.

[Opinion of the Scientific Committee on Food on Fusarium toxins. Part 6: Group evaluation of T-2 toxin, HT-2 toxin, Nivaleno...](#)

UK Government Data Quality Hub (2020) "The Government Data Quality Framework." [The Government Data Quality Framework - GOV.UK](#).

UK HM Treasury (2015) "The Aqua Book: guidance on producing quality analysis for government." [The Aqua Book](#).

Xu, X., Madden, L. V., and Edwards, S. G. 2014. Modeling the effects of environmental conditions on HT2 and T2 toxin accumulation in field oat grains. *Phytopathology* 104: 57-66. DOI: <https://doi.org/10.1094/phyto-03-13-0070-r>

Wu W., Zhou H., Bursian S.J., et al. (2016) Emetic responses to T-2 toxin, HT-2 toxin and emetine correspond to plasma elevations of peptide YY3-36 and 5-hydroxytryptamine. *Archives of Toxicology.* 90: 997-1007.

DOI: <https://doi.org/10.1007/s00204-015-1508-7>

