

## Table 16

### In this guide

[In this guide](#)

1. [Annex A: Supplementary information - Table 1](#)
2. [Annex A: Supplementary information - Table 2](#)
3. [Annex A: Supplementary information - Table 3](#)
4. [Annex A: Supplementary information - Table 4](#)
5. [Annex A: Supplementary information - Table 5](#)
6. [Annex A: Supplementary information - Table 6](#)
7. [Annex A: Supplementary information - Table 7](#)
8. [Annex A: Supplementary information - Table 8](#)
9. [Annex A: Supplementary information - Table 9](#)
10. [Annex A: Supplementary information - Table 10](#)
11. [Annex A: Supplementary information - Table 11](#)
12. [Annex A: Supplementary information - Table 12](#)
13. [Annex A: Supplementary information - Table 13](#)
14. [Annex A: Supplementary information - Table 14](#)
15. [Annex A: Supplementary information - Table 15](#)
16. [Annex A: Supplementary information - Table 16](#)

**Table 16: Acute exposure to HT-2 from RTE foods from DNSIYC and NDNS years 1-11 consumption data and occurrence data collected from the FSA call.**

**Infants (4-18 months) (n=2683)**

<b>Food groups</b>	<b>Count of HT-2 data call samples (n)</b>	<b>HT-2 concentration µg/kg (mean)</b>	<b>HT-2 concentration µg/kg (max)</b>	<b>Consumers (n)</b>	<b>*Mean; Mean</b>	<b>*Mean; P97.5</b>	<b>*Max; Mean</b>
Plain muesli	3	17.3	39	91	0.0031	0.011	0.0070
Biscuits, oatmeal	4	14.6	24.3	1441	0.023	0.064	0.039
Multigrain bread rolls	2	6.9	7	98	0.017	0.041	0.017
Wheat bread rolls	2	6.3	6.3	435	0.023	0.066	0.023
Dried pasta	4	6.3	6.3	1140	0.036	0.11	0.036
Mixed breakfast cereals	3	8.6	11.2	1691	0.029	0.14	0.038
Oat porridge	23	20.1	95.7	389	0.13	0.46	0.61
Infants' cereals	2	217.5	219	1128	1.4	5.2	1.4

Plain cereal bars	2	14.5	18.2	5	0.028	0.052	0.035
Puffs/ curls type extruded snack	1	5.2	5.2	630	0.0060	0.015	0.0060

## Toddlers (1.5-3 years) (n=1157)

Food groups	Count of HT-2 data call samples (n)	HT-2 concentration $\mu\text{g}/\text{kg}$ (mean)	HT-2 concentration $\mu\text{g}/\text{kg}$ (max)	Consumers (n)	*Mean; Mean	*Mean; P97.5	*Max; Mean
Plain muesli	3	17.3	39	14	0.040	0.082	0.090
Biscuits, oatmeal	4	14.6	24.3	566	0.027	0.067	0.045
Multigrain bread rolls	2	6.9	7	75	0.027	0.071	0.028
Wheat bread rolls	2	6.3	6.3	125	0.029	0.071	0.029

Dried pasta	4	6.3	6.3	602	0.035	0.094	0.035
Mixed breakfast cereals	3	8.6	11.2	983	0.024	0.098	0.031
Oat porridge	23	20.1	95.7	70	0.19	0.47	0.91
Infants' cereals	2	217.5	219	34	1.0	2.6	1.0
Plain cereal bars	2	14.5	18.2	24	0.026	0.057	0.033
Puffs/ curls type extruded snack	1	5.2	5.2	387	0.0061	0.014	0.0061

## Adults (19-64 years) (n=5094)

Food groups	Count of HT-2 data call samples (n)	HT-2 concentration $\mu\text{g}/\text{kg}$ (mean)	HT-2 concentration $\mu\text{g}/\text{kg}$ (max)	Consumers (n)	*Mean; Mean	*Mean; P97.5	*Max; *Mean
Plain muesli	3	17.3	39	211	0.012	0.030	0.027

Biscuits, oatmeal	4	14.6	24.3	1472	0.0079	0.024	0.013	0
Multigrain bread rolls	2	6.9	7	530	0.0088	0.022	0.0090	0
Wheat bread rolls	2	6.3	6.3	293	0.0081	0.019	0.0081	0
Dried pasta	4	6.3	6.3	1677	0.018	0.038	0.018	0
Mixed breakfast cereals	3	8.6	11.2	2935	0.0065	0.023	0.0085	0
Oat porridge	23	20.1	95.7	222	0.045	0.087	0.21	0
Infants' cereals	2	217.5	219	2	0.13	0.17	0.13	0
Plain cereal bars	2	14.5	18.2	135	0.0062	0.020	0.0078	0
Puffs/ curls type extruded snack	1	5.2	5.2	673	0.0018	0.0050	0.0018	0

## Adult Vegetarians / Vegans (19-64 years) (n=170)

Food groups	Count of HT-2 data call samples (n)	HT-2 concentration $\mu\text{g}/\text{kg}$ (mean)	HT-2 concentration $\mu\text{g}/\text{kg}$ (max)	Consumers (n)	*Mean; Mean	*Mean; P97.5	*Max; Mean
Plain muesli	3	17.3	39	11	0.015	0.024	0.033
Biscuits, oatmeal	4	14.6	24.3	55	0.0089	0.019	0.014
Multigrain bread rolls	2	6.9	7	33	0.0087	0.015	0.0089
Wheat bread rolls	2	6.3	6.3	10	0.0079	0.019	0.0079
Dried pasta	4	6.3	6.3	64	0.020	0.042	0.020
Mixed breakfast cereals	3	8.6	11.2	98	0.0077	0.026	0.010
Oat porridge	23	20.1	95.7	6	0.067	0.18	0.32

Infants' cereals	2	217.5	219	0	0	0	0
Plain cereal bars	2	14.5	18.2	2	0.0099	0.013	0.012
Puffs/ curls type extruded snack	1	5.2	5.2	22	0.0021	0.0040	0.0021

Exposure estimates have been rounded to 2 significant figures; concentrations have been rounded to one decimal place.

\*Mean/Max concentration.